

CHAPTER 9

Principles of Spike Train Analysis

FABRIZIO GABBIANI AND CHRISTOF KOCH

1 Introduction

Experiments in sensory neurophysiology often record action potential arrival times of nerve cells resulting from spontaneous or stimulus-evoked activity. When all action potentials are taken to be identical and only their localized times of occurrence are considered, one obtains a discrete series of time events, $\{t_1, \dots, t_n\}$, where t_i = time of arrival of the i^{th} spike, characterizing the spike train. It is this series of events that is transmitted down the axon to all of the cell's targets and that contains most, if not all, of the information that the cell is conveying.

Most of this information is neglected when studying the *average rate*, the number of action potentials over some suitable interval usually lasting a fraction of a second or longer, as the relevant variable characterizing the neuronal response. Recently, the *temporal coding* of information in the patterns of spikes, both at the single cell as well as between multiple cells, has received renewed attention. The broad idea that spike timing, in particular across ensemble of cells, plays an important role in encoding various aspects of the stimulus is supported by experiments in a variety of sensory systems such as locust olfaction, electric fish electrosensation, cat vision and olfaction as well as monkey vision and audition (Chung *et al.*, 1970; Freeman, 1975; Abeles, 1990; Strehler and Lestienne, 1986; Bialek *et al.*, 1991; Eskandar *et al.*, 1992; Singer and Gray, 1995; Decharms and Merzenich, 1996; Laurent, 1996; Wehr and Laurent, 1996; Gabbiani *et al.*, 1996; Lisman, 1997).

The characteristics of the neuronal code are closely linked to the seemingly *stochastic* or *random* character of neuronal firing. Because little or no information can be encoded into a stream of completely regularly spaced action potentials, this raises the question of how variable neuronal firing really is and of the relation between variability and the neural code. It is the mathematical theory of stochastic point processes and the field of statistical signal

processing that offers us the adequate tools for attacking these questions.

This chapter surveys a selection of such tools, starting with the classical interspike interval histograms commonly used in neurophysiological studies. The methods presented here are intended to shed additional light on two aspects of neuronal signal processing:

- (i) which integrative mechanisms underlie the activity of nerve cells?
- (ii) what is the nature and reliability of stimulus encoding in neuronal spike trains?

To address these questions and illustrate the methods presented here, we study the encoding of various signals in spike trains of certain simplified single cell models, in particular integrate-and-fire neurons and Poisson spike train generators. This allows us to investigate in a controlled manner the effect of several biophysical parameters such as refractoriness or mean firing rate on the encoding of various signals. These models are described in details in the next section. They can all be modeled using the MATLAB routines provided by us (see below and appendix A.2).

Section 3 introduces the classical measure of variability associated with interspike interval distributions: the coefficient of variation, C_V . Its dependence on various biophysical and stimulus parameters is then investigated. In section 4, a different and complementary measure of variability of the neuronal response, the ratio of the variance to the mean spike count in a fixed time interval, F , is introduced. This measure plays an important role in determining the accuracy with which information can be conveyed in the mean spike count, as explained in section 5. The following sections are devoted to the analysis of information encoded in the timing of neuronal spiking. In section 6, the autocorrelation function and power spectrum of the time series of action potential events are defined. The power spectrum is a measure of the frequency content of the spike train and can, under some assumptions, reflect the processing performed by the neuron on its input stimuli. It is, however, also influenced by intrinsic properties of the neuron, like its refractory period or its tendency to fire regularly. The autocorrelation function, in turn, translates these properties in the time domain. Section 7 introduces a method which allows to directly assess the accuracy of the information transmitted by a neuron about a time-varying stimulus by estimating the stimulus from the spike train.

Increasingly fast computers and the availability of comprehensive software packages with practical graphical interfaces has made the analysis of neuronal data using the methods presented here more rapid and convenient. One of these packages, MATLAB, is well suited for such numerical work and was used to analyze our data. The corresponding programs (MATLAB M-files) can be freely accessed and downloaded from our web-site (see appendix A.2 for a more detailed description and web address). All of the functions and spike generation models used in the following pages are defined within a simple and intuitive programming environment, based on the dynamical system simulation package of MATLAB called “Simulink”. We also provide several tutorials which will allow the interested reader to directly generate and analyze the data from our models (as well as more elaborate variants, which are only briefly mentioned here) and to further explore topics not covered in the following.

Finally, we would like to attract the reader’s attention on chapters 51-58 of the volume edited by Schmitt (1970) for an early review and references on the subject of this chapter. An extensive and complementary treatment may also be found in the recent book by Rieke *et al.* (1996).

2 Models

We start by introducing several simplified models which will be used to illustrate the analysis methods exposed in the following sections. We do not intend to perform biophysically detailed modeling of single neurons here: this subject is covered in chapters 3 to 6 of this book. The goal of this chapter is to incorporate some basic biophysical properties of real nerve cells such as refractoriness, spike train variability or bursting, into idealized single cell models, along with plausible processing schemes for input signals and to analyze the properties of the resulting spike trains. While none of the models described below can faithfully reproduce all the properties of a given neuronal spike train, each one of them has been shown on several instances to successfully capture at least some of them.

2.1 Perfect Integrate-and-fire neuron

We turn to a very simple, but quite powerful model of a spiking cell with a long and distinguished history, first investigated by Lapicque (1907, 1926).

It is known as the *integrate-and-fire* model (Stein, 1967a,b; Knight, 1972a; Tuckwell, 1988) and assumes that the neuron integrates its inputs and generates a spike when a fixed voltage threshold is reached,

$$C_m \cdot \frac{dV_m}{dt} = I(t), \quad (1)$$

where $I(t)$ is the input current which is integrated to yield the membrane voltage $V_m(t)$. In eq. 1, the resting membrane potential has been set to zero for convenience and the constant C_m represents the capacity of the model cell. With the help of an initial condition, such as $V_m(0) = 0$, eq. 1 specifies the evolution of the membrane potential in the subthreshold domain (fig. 1).

A spike is generated each time that $V_m(t)$ reaches the threshold V_{th} and the membrane voltage is reset to zero immediately after a spike. Thus, the successive times, t_i , of spike occurrence are determined recursively from the equation,

$$\int_{t_i}^{t_{i+1}} I(t) dt = C_m V_{th}. \quad (2)$$

The response of such a model to a positive constant current step has the following characteristics: (i) the firing rate, f , is linearly related to the magnitude of the input current: $f(I) = I/C_m V_{th}$. In other words, the current-frequency or f - I curve is linear (see fig. 2); (ii) arbitrarily small input currents eventually lead to a spike, *i.e.*, the model never “forgets” the occurrence of an input, and finally, (iii) the corresponding output spike train is perfectly regular.

Several simple modifications of this basic model lead to very different behaviors.

2.2 Refractory period

In real neurons, the dynamic firing range is limited by the biophysical properties of the ionic membrane conductances responsible for action potential generation. In particular, neurons do not fire at arbitrarily high rates because sodium channels need to recover from inactivation between two action potentials. As a first approximation, this constraint can be implemented in the preceding model by assuming that after a spike the neuron is entirely inactive for a fixed period of time t_{ref} (the absolute refractory period or dead

time) after which it resumes normal function. That is, for a fixed time after spike generation, all input current is shunted off. Such a refractory period limits the firing frequency to $f_{max} = 1/t_{ref}$ and thus introduces a non-linear saturation in the f - I curve for large inputs,

$$f(I) = \frac{I}{C_m V_{th} + t_{ref} \cdot I} \quad (3)$$

(fig. 2).

2.3 Leaky integrate-and-fire neuron

The integrate-and-fire neuron considered above will sum linearly two sub-threshold inputs irrespectively of their temporal separation because it does not gradually forget the occurrence of events over time. A more realistic behavior is obtained by introducing a leak term in the dynamics of the sub-threshold membrane voltage,

$$C_m \frac{dV_m}{dt} = I(t) - \frac{V_m}{R_m}, \quad (4)$$

driving it towards its resting value, $V_m = 0$. The leak term is characterized by the resistance to current flowing out of the cell, R_m (fig. 1).

In response to a constant current pulse I , this leaky integrate-and-fire model will relax exponentially towards a steady-state voltage $V_m = IR_m$,

$$V_m(t) = IR_m(1 - e^{-t/\tau_m}), \quad (5)$$

with time constant $\tau_m = R_m C_m$. Thus, the minimal, threshold current required to drive the cell to threshold is $I_{th} = V_{th}/R_m$ (also known as the rheobase current). The corresponding f - I curve is given by

$$f(I) = \begin{cases} 0 & \text{if } I \leq I_{th}, \\ \left[t_{ref} - \tau_m \log\left(1 - \frac{V_{th}}{IR_m}\right) \right]^{-1}, & I > I_{th}. \end{cases} \quad (6)$$

For large input currents, the leak term in eq. 4 does not contribute significantly and the f - I curve of eq. 3 is recovered (by using $\log(1 - x) \sim -x$, for $|x| \ll 1$ in eq. 6), see fig. 2.

Due to the presence of the leak term, integrate-and-fire models have been difficult to fully characterize analytically (Poggio and Torre, 1977) but have

also been surprisingly successful in describing neuronal excitability. They have been applied to model the firing behavior of numerous cell types: neurons in the limulus eye (Knight, 1972b), α -motoneurons (Calvin and Stevens, 1968), neurons in the visual system of the housefly (Gestri, Masterbroek and Zaagman, 1980), cortical cells (Softky and Koch, 1993; Troyer and Miller, 1997) and others.

In the following we will usually only consider the case of a perfect integrator model, since it allows us to write down closed-form solutions for many variables of interest. However, the behavior of the leaky integrator will approach that of the perfect integrate-and-fire model if the average interspike interval is short compared to the time constant τ_m .

2.4 Poisson spike trains – integrate-and-fire neurons with random threshold

While some neurons fire regularly in response to injected suprathreshold currents, many neurons show a considerable degree of variability in their sequence of action potentials, in contrast to (leaky) integrate-and-fire neurons. Irregular firing is particularly pronounced in the case of recordings carried out *in vivo*, rather than in brain slices or in cultured cells (Holt *et al.*, 1996). We here consider a class of models able to produce irregular spike trains. The following description is phenomenological: possible causes for this variability will be considered more closely in section 3.

An irregular response to a constant current pulse can be obtained in a model that generates a spike at an average rate of $f = I/C_m V_{th}$, but in such a way that (i) every spike is generated randomly, (ii) independently of other spikes and (iii) with a uniform probability of occurrence in time. The resulting spike sequence is called *Poisson* and is highly variable because of the complete independence between the time of occurrence of neighboring spikes. Neuronal response variability is often compared to the variability of a Poisson spike train because of its simplicity. However, real spike trains usually have interspike intervals that are not independent from each other but that may depend on the preceding interspike intervals.

As a consequence of assumptions (i)–(iii), the interspike interval distribution of a Poisson spike train is exponentially distributed with probability density

$$p(t) = (1/\bar{t})e^{-t/\bar{t}}, \quad (7)$$

where \bar{t} is the mean interspike interval (fig. 3A). The density function $p(t)$ is obtained experimentally by binning consecutive interspike intervals from spike trains, as in fig. 3. In this guise it is called the **Inter Spike Interval (ISI) histogram**.

Since in an integrate-and-fire neuron the mean interspike interval is proportional to the voltage threshold, Poisson spike trains can be obtained from an integrate-and-fire neuron by resetting the threshold after each spike to a new random value according to the distribution, $p(V) = (1/V_{th})e^{-V/V_{th}}$. The voltage V_{th} now denotes the mean value of the distribution $p(V)$. Similarly, by assuming that the random threshold is distributed according to a gamma distribution of order n ,

$$p_n(V) = \frac{c_n V^{n-1}}{V_{th}^{n-1}} e^{-nV/V_{th}}, \quad (8)$$

with

$$c_n = \frac{n^n}{(n-1)! V_{th}}, \quad (9)$$

one obtains increasingly regular spike trains in response to a constant current injection as n increases. The case $n = 1$ corresponds to Poisson spike trains and in the limit $n \rightarrow \infty$, the usual integrate-and-fire neuron is recovered. The resulting interspike intervals are gamma distributed around their mean value (fig. 3).

It could be argued that a random voltage threshold is not a very realistic physiological feature. After all, noise in the spiking mechanism is seldomly observed in real neurons (Calvin and Stevens, 1968; Mainen and Sejnowski, 1995). However, in the case of a perfect or non-leaky integrate-and-fire model, a random threshold can be shown to be equivalent to a random input current (Gestri *et al.*, 1980).

This point is most easily illustrated by considering an integrate-and-fire neuron which receives as input Poisson distributed current pulses of size I_0 at an average frequency f_0 (as in fig. 4). If n_{th} is the number of inputs needed to fire the cell (*i.e.*, n_{th} is the smallest integer larger than $C_m V_{th}/I_0$, see eq. 1) then the average firing rate of the model will be f_0/n_{th} . The distribution of spikes can be shown (Tuckwell, 1988) to correspond to a gamma distribution of order n_{th} , identical to the interspike interval distribution considered in eq. 8 (fig. 3; Tuckwell, 1988).

Indeed, the statistical properties of the output spikes of both models are identical. That is, Poisson distributed inputs into an integrator unit that requires n_{th} synaptic inputs to reach a fixed threshold V_{th} is equivalent to injecting a constant current $f_0 I_0$ into an integrator unit whose voltage threshold is distributed according to eq. 8 and where this constant input triggers the output spikes. Expressing the variability in terms of a random threshold distribution has mathematical and numerical advantages (see appendix A.2); for instance, the case of an *inhomogeneous Poisson process*, in which spikes are generated independently of each other with a time-varying rate $\lambda(t)$, is again equivalent to the case of injecting a deterministic current proportional to $\lambda(t)$ into the unit, and having a random threshold of the form expressed in eq. 8.

3 Interspike Interval Distribution – Coefficient of Variation

The variability of a neuronal spike train is an important indicator of the type of processing that a neuron performs on its synaptic inputs. The simplest measure of variability is the coefficient of variation of the interspike interval distribution, a dimensionless number defined as the standard deviation σ_t of the interspike interval distribution normalized by the mean interspike interval \bar{t} ,

$$C_V = \frac{\sigma_t}{\bar{t}}, \quad (10)$$

with

$$\bar{t} = \int_0^\infty t p(t) dt, \quad \text{and} \quad \sigma_t^2 = \int_0^\infty (t - \bar{t})^2 p(t) dt, \quad (11)$$

where $p(t)$ is the probability density distribution of the interspike intervals. The coefficient of variation is equal to 1 for Poisson spike trains, since $\sigma_t = \bar{t}$, while for a gamma distribution of order n , $\sigma_t^2 = \bar{t}^2/n$ and $C_V = 1/\sqrt{n}$, see eq. 8.

In other words, integrating over a large number of small inputs gives rise to very regular output spikes (figs. 3–5). In the limit of an integrate-and-fire neuron under constant current input, $C_V \rightarrow 0$. Conversely, a neuron which is

sensitive to a small number of random inputs is expected to generate very irregular spike trains. In real nerve cells, further potential sources of variability include the stochastic nature of synaptic transmission, non-linear amplification of synaptic inputs by active dendritic conductances and network effects due to the interconnectivity of nerve cells (Softky and Koch, 1993; Allan and Stevens, 1994; Stuart and Sakmann, 1994; van Vreeswijk and Sompolinsky, 1996).

A refractory period lowers the C_V at high firing rates when it tends to force regularity in the interspike interval duration. In the ideal case of an absolute refractory period, the interspike interval probability density will simply be shifted to the right of the time axis, $p(t) \rightarrow p_{ref}(t) = p(t - t_{ref})$ and the new coefficient of variation is

$$C_{V_{ref}} = (1 - t_{ref}/\bar{t})C_V, \quad (12)$$

so that $C_{V_{ref}} \rightarrow 0$ as $\bar{t} \rightarrow t_{ref}$ (figs. 3 and 5).

The time constant of integration of a leaky integrate-and-fire neuron will affect the coefficient of variation in a different way. If $n_{th} > 1$ coincident inputs are needed to fire the cell, a large τ_m will regularize the spike train by averaging the arrival of synaptic inputs over time whereas a short τ_m will increase the sensitivity to coincident inputs and thus boost up variability.

In all of these examples, $C_V \leq 1$, with the upper bound given by a pure Poisson process. However, in many instances interspike interval distributions of real neurons have C_V 's greater than 1. This can be achieved in a Poisson neuron by assuming that the current (or the rate) driving the model is itself random in time. The resulting spike trains are termed *doubly stochastic Poisson* in the mathematical and engineering literature (Saleh, 1978; Peřina, 1985) because of the dual source of variability arising in the current and the spike generation mechanism. This is for example illustrated in a model which successfully describes several properties of retinal ganglion cell spike trains at low light levels (Saleh and Teich, 1985). In this limit, the distribution of photons absorbed at the retina is expected to be Poisson. If each photon results in a slowly decaying input current to a ganglion cell which causes on average two output spikes per incoming photon (see fig. 6A), then the interspike interval distribution of the model will have a C_V greater than 1 (fig. 6B). The cause of this additional variability lies in the random number of spikes generated for each incoming Poisson pulse.

Other cell classes respond to inputs with a *burst* of spikes, that is, a small number of spikes separated by short interspike intervals. Several further

special models and techniques have been developed to analyze the variability of such bursting cells (Bair *et al.*, 1994; Franklin and Bair, 1995; Holt *et al.*, 1996).

4 Spike Count Distribution – Fano Factor

The C_V yields a useful measure of short term variability. However, since this measure is obtained from the interspike interval distribution, it yields a complete characterization of variability only if the occurrence of a spike depends exclusively on the time of the previous spike and not further on the past history of the spike train. This is the case for the Poisson and gamma distributed spike trains of fig. 3; such spike trains are said to be generated by a *renewal process*. By definition, successive intervals between the spikes of a renewal process are independent (Cox, 1962; Cox and Lewis, 1966). Equivalently, the time of occurrence of a spike depends only on the previous one.

Information on variability beyond the first interspike interval can be gleaned from the distribution of spike counts measured over a time period of length T . To illustrate how the variability observed in the interspike intervals translates into variability of the spike count, we return to the examples of last section. For a Poisson spike train with mean firing rate $f = 1/\bar{t}$, the probability $p(n)$ of obtaining n spikes in the observation window T is

$$p(n) = \frac{(fT)^n e^{-fT}}{n!}, \quad (13)$$

and is plotted in fig. 7A.

For the model of retinal ganglion cell firing considered above, spike generation can be approximatively described as a cascade of two Poisson processes: the first one represents the absorption of photons at the retina and the second one the random generation of two spikes (on average) for each such photon¹. The resulting spike count distribution (called a Neyman type-A distribution, see fig. 7A; Teich, 1981) is broader than a Poisson distribution of identical mean, consistent with the higher variability observed in the interspike interval distribution ($C_V > 1$, fig. 6B).

¹This description is only accurate if two successive photon events are well separated from each other. It remains valid also for shorter separation times, but the effective number of spikes per incoming photon is reduced, for details, see Saleh *et al.* (1981), Saleh and Teich (1985), as well as tutorial 5 in our MATLAB routines.

The variability in the spike count distribution is most conveniently characterized by the ratio of the variance, $V(T)$, to the mean, $N(T)$, of $p(n)$:

$$F(T) = \frac{V(T)}{N(T)} \quad (\text{in units of spk}). \quad (14)$$

This quantity is called the *index of dispersion* or *Fano factor*. For a Poisson spike train we obtain from eq. 13: $N(T) = fT$, $V(T) = fT$ and therefore $F(T) = 1$, independent of duration T . For the Neyman type-A distribution, if we denote by f_{ph} the rate of incoming photons and by k the effective number of spikes per photon, then $N(T) = kf_{ph}T$, $V(T) = (k+1)f_{ph}T$ and therefore, $F(T) = 1+k > 1$. Conversely, spike trains which are more regular than Poisson will have an index of dispersion smaller than 1: this is illustrated in fig. 8 for a Poisson spike train with refractory period (Müller, 1974) and for a gamma distribution of order 2 (Cox and Lewis, 1966). In this latter case,

$$N(T) = \frac{T}{\bar{t}}, \quad V(T) = \frac{T}{2\bar{t}} + \frac{1}{8}(1 - e^{-4T/\bar{t}}), \quad (15)$$

so that

$$F(T) = \frac{1}{2} + \frac{\bar{t}}{8T}(1 - e^{-4T/\bar{t}}). \quad (16)$$

While for very small observation intervals F converges to unity, as in a standard Poisson process, for $T \rightarrow \infty$, F converges to $1/2$.

4.1 Relationship between C_V and F

Two key results link the Fano factor to fundamental properties of the spike train. If the spike train can be described by a renewal process, the distribution of spike counts will be approximatively normally distributed for large counting times T , with mean $N(T) \cong T/\bar{t}$ and variance $V(T) \cong \sigma_t^2 T/\bar{t}^3$. This is illustrated in fig. 7B for the gamma distribution of order 2. While a normal distribution for $p(n)$ is expected from the law of large numbers, the formulas for $N(T)$ and $V(T)$ depend explicitly on the renewal nature of the spike train. Thus, for large T we obtain (Cox, 1962)

$$F(T) \cong \frac{\sigma_t^2 T}{\bar{t}^3} \frac{\bar{t}}{T} = C_V^2. \quad (17)$$

The relation between $F(T)$ and C_V can be explicitly verified in the case of the gamma distribution of order 2 (from eq. 16 and using the previously obtained value, $C_V = 1/\sqrt{2}$). This result motivates the following algorithm to verify whether the variability observed in a spike train is solely due to variability in the interspike intervals: 1) compute $F(T)$ as a function of T for a given experimental spike train; 2) randomly re-shuffle the interspike intervals of the experimental spike train to obtain a renewal process and compute $F_{shuffled}(T)$. If, for large T , the Fano factor $F(T)$ is different from $F_{shuffled}(T)$, variability in the spike count cannot be accounted for by variability in the interspike intervals alone. Furthermore, $F_{shuffled}(T)^{1/2}$ provides an estimate of C_V , by eq. 17. This algorithm has been applied to sensory neurons and has consistently led to the conclusion that a substantial portion of spike train variability is not explained by interspike interval variability (for a review, see Teich *et al.*, 1996).

4.2 Relationship between F and the Autocorrelation Function

Another result allows for a more precise understanding of the origin of variability observed in the spike count. For a *stationary* spike train (Cox and Lewis, 1966), the index of dispersion is related to the correlation in spike occurrence times by the following formula (Cox and Isham, 1980; Teich, 1989)

$$F(T) = 1 + \frac{2}{f} \int_0^T d\tau \left(1 - \frac{\tau}{T}\right) R_{xx}^+(\tau). \quad (18)$$

In this equation, f is the mean firing rate and $R_{xx}^+(\tau)$ the autocorrelation function of the spike train for τ positive, a measure of the statistical dependency between two spikes as a function of the time interval τ separating them ($R_{xx}^+(\tau)$ is identical to the usual autocorrelation function except for a δ -function at the origin which is removed; it is defined and discussed in section 6). For a Poisson process, $R_{xx}^+(\tau) = 0$ and we recover $F(T) = 1$ from eq. 18. In the case of a gamma distribution of order 2, we recover eq. 16 by plugging the results of eqs. 32 and 31 (section 6) into eq. 18. It follows in particular from this formula that if the correlation between spikes is only slowly decaying over time, $R_{xx}^+(\tau) \sim \tau^{-\alpha}$ ($0 < \alpha < 1$) for large τ , then

$$F(T) \sim T^{1-\alpha} \quad (\text{for large } T), \quad (19)$$

or equivalently,

$$V(T) \sim N(T)^{2-\alpha}, \quad (20)$$

(using $N(T) = fT$). In other words, long range correlations in spike occurrence times implies a power law increase of $V(T)$ as a function of $N(T)$.

To detect such power-law behavior, it is convenient to plot $(N(T), V(T))$ pairs for different values of T in log-log coordinates (Usher, Stemmler, Koch and Olami, 1994).² For a Poisson process, this procedure yields a line with unit slope. A more variable process will be revealed by a slope that is larger than one. In the limit of a slope equal to two ($\alpha = 0$ in the above equation) the fluctuations are so high as to cancel any beneficial effect obtained by averaging for longer times. In practice, neurons seldomly show such power relationships over very large ranges of T . For instance, as emphasized previously, a refractory period has the effect of reducing variability for values of $T \approx t_{ref}$. Cells in visual cortex typically cluster on a line of slope between 1 and 1.4 over the relevant range of firing frequencies (Vogels, Spillner and Orban, 1989; Snowden, Treue and Andersen, 1992; Softky and Koch, 1993).

5 Signal Detection – ROC Analysis

Spike count distributions can also provide useful insights on the encoding of stimulus information by neurons, in addition to shedding light on the issue of variability considered in the last section.

Changes in the mean firing rate as a function of stimulus parameters are usually the most conspicuous feature of neuronal responses. One way of assessing the information conveyed in the mean spike count consists in attempting to optimally discriminate two stimuli on the basis of differences between the firing rates measured in an interval of length T . This paradigm, based on the concept of an ideal observer, has been applied to a wide range of sensory neurons and experimental stimuli. In retinal ganglion cells, the presence or absence of a dim light flash can be inferred with good accuracy

²A frequently used approximation involves carrying out an experiment using a fixed T but varying the stimulus to obtain different (N, V) pairs. If, as a function of two variables (f, T) , the stochastic properties of the neuron only depend on the product fT , varying the stimulus to increase f is equivalent to varying T . This condition is verified by the integrate-and-fire models with random threshold, provided that the refractory period is set to zero.

from the mean firing rate observed in a 200 ms time window (Barlow *et al.*, 1971). Further examples include the discrimination of stimulus orientation from the responses of orientation selective neurons in area V1 of the macaque monkey (Vogels and Orban, 1990) or of the direction of motion from neurons in cortical area MT (Newsome *et al.*, 1989; Britten *et al.*, 1992). Here, the performance of individual neurons, as assessed using the *ideal observer paradigm* that will be discussed now, was comparable to the performance of the trained animal on the psychophysical task. This places constraints on how information from single cells is integrated across pools of neurons to give rise to the behavior of the animal.

Let us imagine a classical *yes-no rating experiment* (Green and Swets, 1966), in which either one of two stimuli is presented, called stimuli 0 and 1. On each trial and on the basis of an observation such as the mean spike count measured in an interval T , the subject has to decide which of stimuli 0 or 1 occurred. If the two stimuli result in different spike count distributions $p_0(n)$ and $p_1(n)$ being observed in an interval of duration T , an obvious strategy to determine the stimulus most likely to have caused a given spike count n_t is to compare the *likelihood ratio* $l(n) = p_1(n)/p_0(n)$ to a threshold criterion k and to choose stimulus 0 or 1 according to whether $l(n_t)$ is smaller or larger than threshold. The choice $k = 1$ corresponds to the inference³

$$\begin{aligned} p_1(n_t) < p_0(n_t) &\rightarrow \text{stimulus 0,} \\ p_0(n_t) < p_1(n_t) &\rightarrow \text{stimulus 1.} \end{aligned}$$

The significance of values of k different from 1 will become clear as we proceed.

As a simple example, consider a Poisson neuron which fires at rates f_0 and f_1 ($f_0 < f_1$) in response to stimuli 0 and 1, respectively (Thibos *et al.*, 1979). From eq. 13

$$l(n) = \left(\frac{f_1}{f_0}\right)^n e^{-(f_1-f_0)T}. \quad (21)$$

Two such Poisson spike count distributions as well as $l(n)$ are illustrated in fig. 9A. The likelihood ratio of eq. 21 is a monotonic increasing function of n . In this case (the most common one), we can replace the criterion $l(n) \leq k$

³In the following we ignore the possible occurrence of ties, *i.e.*, $p_0(n_t) = p_1(n_t)$. The treatment of such cases can be found, *e.g.*, in Poor (1994).

with the simpler rule

$$\begin{aligned} n < k' &\rightarrow \text{stimulus 0,} \\ n > k' &\rightarrow \text{stimulus 1.} \end{aligned}$$

That is, if the observed spike count n is less than some threshold k' , we infer that stimulus 0 was present; in the other case, we assume that stimulus 1 was present.

How good is this decision rule? Its performance can be precisely characterized by two quantities: (i) the *probability of false-alarm*, *i.e.*, the probability of concluding that stimulus 1 is present when in fact stimulus 0 occurred,

$$P_{FA} = \sum_{n \geq k'} p_0(n), \quad (22)$$

and (ii) the *probability of correct detection*, *i.e.*, the probability of correctly concluding that stimulus 1 was present

$$P_D = \sum_{n \geq k'} p_1(n). \quad (23)$$

It is clear from these equations that a fixed value of the threshold k' (or k) is equivalent to a fixed probability of false-alarm P_{FA} (or of correct detection P_D). Therefore, a plot of P_D as a function of P_{FA} completely characterizes the performance of the likelihood ratio test for all possible values of the threshold (see fig. 9B). Such a plot is called the *receiver operating characteristic* of the likelihood ratio test or the ROC curve⁴. The diagonal line in fig. 9B indicates chance performance ($P_{FA} = P_D$). The higher the ROC curve lies above the diagonal, the better the performance of the likelihood ratio test (the most favorable case being $P_D = 1$, independent of P_{FA}).

Remarkably, the likelihood ratio test is optimal: for a fixed probability of false-alarm P_{FA} , any alternative test used to decide between stimulus 0 and 1 from $p_0(n)$ and $p_1(n)$ will result in a smaller probability of detection P_D . In other words, any other test will yield an ROC curve below (or at best equal to) the ROC curve of the likelihood ratio test⁵. Note that since it remains unclear what type of decision rule nervous systems use, the optimal

⁴This terminology arose from early applications of signal detection theory to the performance of radar.

⁵This result is known as the Neyman-Pearson lemma (Scharf, 1991).

performance is the one obtained by an *ideal observer* who has complete access to the relevant probability distributions. Of course, the performance of the ideal observer will depend on properties of the spike trains and the interval chosen to measure the mean firing rate. In general, longer measuring intervals will lead to better performance by averaging out fluctuations, as illustrated for Poisson spike counts in fig. 10A. Presently, the exact time interval over which neurons might average incoming information to perform a specific task is only weakly constrained. Similarly, spike trains that are more regular than Poisson ($C_V < 1$) will yield better discrimination performance, while spike trains with $C_V > 1$ will lead to worse performance (fig. 10B).

As the measuring interval becomes large, the probability distribution of the spike count usually converges to a normal distribution by virtue of the law of large numbers (see section 4). In practice, the convergence can be quite fast, the Gaussian approximation being already accurate for spike counts as low as 10-20 (as in fig. 7B). When the distributions $p_0(n)$ and $p_1(n)$ can be described by Gaussians of means and variances μ_i , σ_i (with $i = 0, 1$), respectively, the ROC curve can be computed exactly and is given by

$$P_D = 1 - \Phi\left(\frac{\sigma_0}{\sigma_1} \Phi^{-1}(1 - P_{FA}) - \frac{\mu_1 - \mu_0}{\sigma_1}\right), \quad (24)$$

where Φ is the cumulative probability distribution of a normalized Gaussian variable,

$$\Phi(x) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^x e^{-x^2/2} dx. \quad (25)$$

Values of $\Phi(x)$ are plotted in numerical tables or can be computed using well known algorithms. Conversely, one can re-express this equation in a different coordinate scale, $(\tilde{P}_{FA}, \tilde{P}_D)$, such that

$$P_{FA} = \Phi(\tilde{P}_{FA}), \quad P_D = \Phi(\tilde{P}_D). \quad (26)$$

This can be done using a simple command in MATLAB.

In this coordinate system, the ROC curve of eq. 24 corresponds to a straight line of slope $r = \sigma_0/\sigma_1$ and intercept $d' = (\mu_1 - \mu_0)/\sigma_1$ (Cohn *et al.*, 1975). This change of coordinates is analogous to the use of logarithmic paper to plot exponential or power-law functions, as illustrated in fig. 11. In general, the larger d' the easier the two distributions can be distinguished and the higher the performance.

When the standard deviations of the two spike count distributions are equal, $\sigma_1 = \sigma_0$, the ROC curve has unit slope and is completely characterized by the intercept d' that is commonly used in psychophysics (Green and Swets, 1966). The value $d' = 1$ then corresponds to the two Gaussian distributions being separated by one standard deviation. However, usually for spike count distributions the variance $V(T)$ is a function of the mean spike count $N(T)$, so that $\sigma_1 \neq \sigma_0$ and this special case is unlikely to occur.

6 Autocorrelation – Power Spectrum

The mean spike count $N(T)$ is well suited to convey information about static components of a stimulus in a time interval of length T . However, stimulus parameters which vary over time during such an interval cannot be encoded by $N(T)$ alone. Modulation of the instantaneous firing rate around its mean value is an appropriate variable to encode such time-varying stimulus parameters.

This section and the next one survey a number of signal processing techniques used to study stimulus encoding by means of instantaneous firing rate changes. In these techniques, the analysis of post-stimulus time histograms (PSTHs) obtained from repeated presentations of a single stimulus is replaced by the analysis of average spike train properties in response to random stimulus ensembles. Therefore, they represent a complementary approach to the more classical PSTH methods, shedding a different light on the encoding of time-varying stimuli in sensory neurons. By design, these methods will work best if the neuronal system under study, whose input is the relevant stimulus parameter and whose output is the observed spike train, can be approximated by a linear, time-invariant (stationary) system. These assumptions are most likely to hold at early stages of sensory pathways (Wandell, 1995; Rieke *et al.*, 1996). Further elaborations of these methods can take into account some non-linearities and changes in the stimulus or neuron response over time, as will be explained. However, none of them is expected to capture the encoding of stimulus parameters when the precise pattern of spikes is of importance, as is likely to be the case in the olfactory system of insects for instance (Laurent, 1996; Wehr and Laurent, 1996).

While the instantaneous firing rate might convey information on a time-varying stimulus, it will also reflect intrinsic properties of the neurons themselves. In the example of fig. 3, fluctuations in instantaneous firing rate do not

relate to the constant current input, but rather reflect different biophysical parameters (e.g., refractory period or passive time constant). We commence our investigation by characterizing how these properties affect the dynamics of neuronal firing.

6.1 The Autocorrelation Function

Second order changes in the dynamics of neuronal firing are captured in the autocorrelation function of the spike train which we now proceed to define. Let $x(t)$ be the spike train of a neuron, represented by a sequence of δ pulses at the time of spike occurrences $\{t_k\}$,

$$x(t) = \sum_k \delta(t - t_k). \quad (27)$$

It helps to visualize $x(t)$ as the instantaneous firing frequency of the neuron in a particular trial or observation period (with units of spk/s; see appendix A.1). The mean firing frequency is defined as the average over such an ensemble of observations, $m = \langle x(t) \rangle$ and is assumed to be independent of t (*i.e.*, we assume that the spike train is stationary). Furthermore, a single—albeit very long—spike train of the ensemble is often assumed to be representative of the response of the system, so that ensemble averages can be replaced by time averages over the single sample. This is known as the *ergodicity* assumption. To clarify this point, we show that under the ergodicity assumption the mean firing rate f of a single neuron in a single trial is equal to the mean firing rate m (in spk/s) averaged over the ensemble. Fig. 12 illustrates the same point graphically. If N is the number of spikes in a large interval T , then

$$\begin{aligned} m &= \langle x(t) \rangle \\ &= \frac{1}{T} \int_0^T x(t) dt, \quad \text{for large } T \text{ (by ergodicity)} \\ &= \frac{N}{T}, \end{aligned} \quad (28)$$

where $N/T = f$ is the mean firing rate for the representative sample spike train. Similarly, other statistical properties of the ensemble can be computed by time averaging, as explained in appendix A.1. The autocorrelation function is defined as the average joint probability density of a spike at time t

and $t + \tau$, minus their mean values,

$$\begin{aligned} R_{xx}(\tau) &= \langle x(t)x(t + \tau) \rangle - m^2 \quad (\text{in units of (spk/s)}^2) \\ &= \langle (x(t) - m)(x(t + \tau) - m) \rangle. \end{aligned} \quad (29)$$

Again, by time invariance (stationarity), $R_{xx}(\tau)$ is assumed to be independent of the absolute time point t . It follows from this assumption that $R_{xx}(\tau) = R_{xx}(-\tau)$. Subtracting m^2 enforces the normalization $\rho(\tau) \rightarrow 0$ for large τ , since we expect two spikes to be uncorrelated for large time separations,

$$\langle x(t)x(t + \tau) \rangle = \langle x(t) \rangle \langle x(t + \tau) \rangle = m^2 \quad (\text{for } \tau \text{ large}). \quad (30)$$

For a Poisson process, $R_{xx}(\tau) = m\delta(\tau)$. The δ -function at the origin corresponds to the sure event of a spike at point t given a spike at point t , while for $\tau \neq 0$ the autocorrelation function $R_{xx}(\tau)$ vanishes identically, meaning that two spikes separated by an arbitrary time interval τ are completely uncorrelated. This extreme case of eq. 30 is, of course, a consequence of the complete independence between two events which defines the Poisson process (see section 2.4). An alternative way of writing the autocorrelation function is

$$\begin{aligned} R_{xx}(\tau) &= R_{xx}^+(\tau) + m\delta(\tau) \\ &= m(m_x(|\tau|) - m) + m\delta(\tau), \end{aligned} \quad (31)$$

where $m_x(\tau)$, $\tau > 0$ is to be interpreted as the probability density of observing a spike at time $t + \tau$ when a spike occurred at time t (note that $m_x(\tau)$ is the probability density of observing *any* spike at time τ following a spike, not only the first one; Cox and Lewis, 1966). Thus, values of $m_x < m$ (or equivalently $R_{xx}^+(\tau) < 0$) correspond to a suppressed probability of spiking as compared to the mean m , while values of $m_x > m$ (or $R_{xx}^+(\tau) > 0$) correspond to an increased probability of spiking. We illustrate these two possibilities in the following examples.

The interspike interval distribution of a gamma process of order 2 has a reduced probability of firing for short intervals when compared to a Poisson process (see figs. 3A and B). Thus, one expects a reduced probability of firing $m_x(\tau)$, or equivalently, a negative correlation for small values of τ . In fact, $m_x(\tau)$ can be shown (Cox and Lewis, 1966) to relax exponentially to its mean value $m = f = 1/\bar{t}$ with a time constant $\bar{t}/4$,

$$m_x(\tau) = m(1 - e^{-4\tau/\bar{t}}), \quad \tau > 0. \quad (32)$$

The two functions $m_x(\tau)$ and $R_{xx}^+(\tau)$ are plotted in fig. 13A. Quite generally, the refractory period immediately following a spike will manifest itself by a negative correlation at short times τ .

Positive correlations can easily be observed in regular spike trains. This is illustrated in fig. 13B for a gamma distribution of order 10 (see fig. 3D). Such a model neuron has a very regular interspike interval distribution concentrated around its mean value, thus leading to positive correlations at multiples of the mean interspike interval.

6.2 The Power Spectrum

Because the autocorrelation function is real and symmetric (*i.e.*, $R_{xx}(\tau) = R_{xx}(-\tau)$), its Fourier transform

$$S_{xx}(\omega) = \int_{-\infty}^{+\infty} R_{xx}(\tau)e^{i\omega\tau} d\tau \quad (\text{in units of (spk/s)}^2/\text{Hz}), \quad (33)$$

is also real and symmetric. In fact, $S_{xx}(\omega)$ is a positive function of frequency called the *power spectrum*, which represents a measure of the frequency content of the spike train. The auto-correlation function can, of course, also be expressed in terms of the inverse Fourier transform, that is,

$$R_{xx}(\tau) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} S_{xx}(\omega)e^{-i\omega\tau} d\omega. \quad (34)$$

For a Poisson process, the Fourier transform of $R_{xx}(\tau)$ yields $S_{xx}(\omega) = m$ and thus all frequencies are equally represented. As is clear from eq. 31, the power spectrum will usually contain additional terms causing a departure from a flat spectrum when the spike train differs from Poisson. In the case of a gamma distributed process of order 2 (see fig. 3B), we obtain

$$S_{xx}(\omega) = m \left(1 - \frac{8m^2}{16m^2 + \omega^2} \right). \quad (35)$$

Thus, the reduced probability of firing at short times τ (see eq. 32) causes a dip in the power spectrum at low frequencies, as illustrated in fig. 14A. This is the usual manifestation of refractoriness in the frequency content of the spike train (Bair *et al.*, 1994; Franklin and Bair, 1995).

For regular spike trains, the peaks in the autocorrelation at multiple intervals of the mean interspike interval translate into peaks at the corresponding firing frequency and its harmonics, as is illustrated in fig. 14B for the gamma process of order 10.

6.3 Spike Train Analysis of Linear Encoding Systems

Let us now consider the response $x(t)$ of some neuronal system to an ensemble of stimuli $\{s_{mean} + s(t)\}$, where s_{mean} represents the mean stimulus (for instance the mean luminance of a visual scene) and the ensemble $\{s(t)\}$ represents random variations around s_{mean} . We here assume that the entire system between the receptor and the neuron from which spikes are recorded can be described in the regime of interest using a linear transfer function $K(t)$ and that the neuron encodes changes about s_{mean} by changes in its instantaneous firing rate. Using this knowledge, we would like to understand how the processing performed by the neuron on the stimulus will be reflected in the autocorrelation and power spectrum of the spike train.

We start by formulating our assumption precisely. Let $s_{mean} + s_0(t)$ be a representative stimulus drawn from the ensemble $\{s_{mean} + s(t)\}$ and denote by $f_{s_0}(t)$ the changes in instantaneous firing rate,

$$f_{s_0}(t) = \langle x(t) - m \rangle_{(x|s_0)}, \quad (36)$$

averaged over many presentations of $s_{mean} + s_0(t)$. This average is denoted by $\langle \cdot \rangle_{(x|s_0)}$ to emphasize that $s_0(t)$ is fixed from one presentation to the next ($s_0(t)$ might be called "frozen noise", fig. 15). Our assumption is that changes in instantaneous firing rate are linearly related to $s_0(t)$ through a transfer function K ,

$$\begin{aligned} f_{s_0}(t) &= (K \star s_0)(t) \\ &= \int_{-\infty}^{+\infty} dt_1 K(t - t_1) s_0(t_1), \end{aligned} \quad (37)$$

where the symbol " \star " denotes convolution (K has units of (spk/s)/(unit stimulus/s)). This equation will hold exactly only if $(K \star s)(t) \geq -m$ (because the averaged instantaneous firing rate $m + f_{s_0}(t)$ cannot be negative) so that the effects of half-wave rectification can be neglected. To illustrate eqs. 36 and 37, consider again the random threshold models of fig. 3 and let the constant current I be replaced by a time-varying current $i_{mean} + i_0(t)$. For each one of these models, the changes in instantaneous firing frequency averaged over many trials will be proportional to changes in the input current: $f_{i_0}(t) = \alpha i_0(t)$, with $\alpha = 1/C_m V_{th}$ so that our assumption is satisfied⁶ (fig.

⁶ This result is well-known for Poisson spike trains (fig. 3A) and a general proof for

15). Eq. 37 also holds when an arbitrary linear filter K is placed prior to the spike generation mechanism to mimic preprocessing of the stimulus before its encoding in output spike trains. An example of such a model whose mean instantaneous firing frequency reproduces the band-pass filtering properties of LGN relay cells is shown in fig. 22.

It follows from eq. 37 that the correlations in instantaneous firing rate are related to correlations in the stimulus ensemble by

$$\langle f_s(t)f_s(t+\tau) \rangle_s = ((K \star \tilde{K}) \star R_{ss})(\tau), \quad (38)$$

where the average $\langle \cdot \rangle_s$ is over the stimulus ensemble, $R_{ss}(\tau)$ is the autocorrelation function of the stimulus and $\tilde{K}(t) = K(-t)$. Furthermore, let us assume that correlations in the occurrence of single spikes are dominated by correlations in the stimulus

$$\langle (x(t) - m)(x(t+\tau) - m) \rangle_{(x|s_0)} = \langle x(t) - m \rangle_{(x|s_0)} \langle x(t+\tau) - m \rangle_{(x|s_0)}, \quad (39)$$

for $\tau \neq 0$, so that effects like those of refractoriness or regularity considered above can be neglected⁷. In the case of a leaky integrator, we expect this condition to require that the correlations in the stimulus should occur on a much longer time scale than τ_m . By taking averages over the stimulus ensemble on both sides of eq. 39, we obtain

$$R_{xx}^+(\tau) = \langle f_s(t)f_s(t+\tau) \rangle_s. \quad (40)$$

Combining eqs. 31, 38, 40 and Fourier transforming results in

$$S_{xx}(\omega) = |K(\omega)|^2 S_{ss}(\omega) + m, \quad (41)$$

where the additive factor m originates from the δ -function at the origin in eq. 31. A different derivation of this equation under the assumption of

gamma distributed random threshold noise (figs. 3B-D) can be found in Gestri (1971). For integrate-and-fire neurons (fig. 3E), eq. 37 was proven in Knight (1972a). In fact, the encoding of analog time-varying signals in binary spikes of integrate-and-fire neurons is equivalent to the engineering coding scheme of *integral pulse frequency modulation* (Bayly, 1968; Zeevi and Bruckstein, 1977).

⁷ This equation holds exactly for the Poisson model of fig. 3A (because once the mean stimulus $s_0(t)$ is specified, spikes are generated independently of each other), but will usually not be satisfied exactly by more general models.

complete half-wave rectification can be found in Gabbiani and Koch (1996) and Gabbiani (1996).

Equation 41 states that the power spectrum of the spike train will be related to the power spectrum of the stimulus by multiplication with the square modulus of the frequency response of K . One way of determining the transfer function K consists in applying the Wiener kernel method which will be described in the next section.

We consider one example illustrating possible applications of eq. 41. The response of relay cells in the lateral geniculate nucleus to sinusoidal gratings of varying temporal frequencies can be used to determine their linear transfer characteristics. In the frequency domain, the energy of the corresponding filter, $|K(\omega)|^2$, is band-pass as illustrated in fig. 16B (Saul and Humphrey, 1990). Measurements of the temporal power spectrum of natural images, $S_{ss}(\omega)$, show that it decays according to a power law with temporal frequency (see fig. 16A; Dong, 1995). Therefore, multiplying $|K(\omega)|^2$ with $S_{ss}(\omega)$ predicts that the power spectrum of LGN spike trains in response to natural stimuli should be flat in frequency up to 10 Hz (see fig. 16C; Dong and Atick, 1995). This encoding of temporal changes in natural images by LGN spike trains is optimal because it amplifies the frequencies which are less well represented in the stimulus, thus whitening the input. This prediction obtained from $S_{ss}(\omega)$, $|K(\omega)|^2$ and eq. 41 for the encoding of natural stimuli in spike trains of LGN relay cells has been confirmed experimentally (Dan et al., 1996).

7 Wiener kernels – Stimulus Estimation

Starting from the assumption of linear encoding formulated in sect. 6.3, we now explain how the transfer function characterizing the processing performed by a neuron can be computed. This is a *forward problem* which has been extensively investigated both theoretically and experimentally. For a particular choice of the random stimulus ensemble, it is equivalent to the computation of the 1st order Wiener kernel, as explained below. Next, we address the question of how accurately a time-varying stimulus can be encoded in single spike trains. This question is the analogous for time-varying stimuli of the problem considered in sect. 5 for static stimuli: how accurately can single neurons convey information in their mean spike count? To answer it, the corresponding *inverse problem* must be solved, *i.e.*, one would like

to estimate the stimulus from a single spike train and assess the accuracy of this estimate. This question has been recently addressed experimentally in the fly visual system (Bialek *et al.*, 1991), in the electrosensory system of weakly electric fish (Wessel *et al.*, 1996) and in the cercal system of the cricket (Theunissen *et al.*, 1996; Roddey and Jacobs, 1996). Finally we also investigate to which extent the linear assumption of sect. 6.3 is altered by non-linearities in the encoding.

7.1 1st Wiener kernel — Reverse-Correlation

The problem of estimating the transfer function K introduced in eq. 37,

$$f_{s_0}(t) = \langle x(t) - m \rangle_{(x|s_0)} = (K \star s_0)(t) \quad (42)$$

can be solved by correlating $s(t)$ with $x(t)$. We define the *cross-correlation* between the stimulus and spike train by

$$\begin{aligned} R_{sx}(\tau) &= \langle s(t)(x(t + \tau) - m) \rangle \\ &= \langle s(t)x(t + \tau) \rangle, \end{aligned} \quad (43)$$

where the second equality follows from the normalization $\langle s(t) \rangle = 0$ introduced in last section. The cross-correlation $R_{sx}(\tau)$ is related to the autocorrelation of the stimulus through

$$R_{sx}(\tau) = (K \star R_{ss})(\tau) \quad (44)$$

(using eq. 42). If we denote by $S_{sx}(\omega)$ the Fourier transform of $R_{sx}(\tau)$, we obtain $S_{sx}(\omega) = K(\omega)S_{ss}(\omega)$ after Fourier transforming both sides of eq. 44. Therefore, the frequency response of K is given by

$$K(\omega) = \frac{S_{sx}(\omega)}{S_{ss}(\omega)}. \quad (45)$$

The computation of K is further simplified if the random stimuli $s(t)$ are chosen to have a power spectrum constant with frequency, $S_{ss}(\omega) = \sigma^2$, corresponding to a *white* or uncorrelated stimulus, $R_{ss}(\tau) = \sigma^2\delta(\tau)$ (in practice, the stimulus is chosen to be white until a cut-off frequency above the one of the system under study). Plugging the value of $S_{ss}(\omega)$ in eq. 45 and Fourier transforming back to the time domain yields $K(\tau) = (1/\sigma^2)R_{sx}(\tau)$. By using

eq. 43, the representation $x(t) = \sum_{k=1}^N \delta(t - t_k)$ where N is the number of recorded action potentials and $f = N/T$ the mean firing rate, we obtain

$$K(\tau) = \frac{f}{\sigma^2} \frac{1}{N} \left(\sum_{k=1}^N s(t_k - \tau) \right). \quad (46)$$

This is the celebrated *reverse-correlation formula* for K , stating that the linear transfer function of the neuron can be recovered by a simple spike-triggered average of the stimulus preceding the spikes (de Boer, 1973). This technique has been applied to many different neurons at various early stages of sensory systems, for example in cat and monkey striate visual cortex (McLean and Palmer, 1989; DeAngelis *et al.*, 1993; Reid and Alonso, 1995). An example illustrating the computation of K from eq. 45 is shown in fig. 17 for the LGN relay cell model depicted in fig. 22.

7.2 Non-Linear Encoding — Higher Kernels

If the relation between stimulus changes and instantaneous firing frequency changes is non-linear, a transfer function $W_1(\omega)$ can still be obtained experimentally using eqs. 45 or 46, but the question of its relation to stimulus encoding by the neuron is now raised. We illustrate the significance of $W_1(\omega)$ in such cases by the following observations.

First, let us assume that the relation between stimulus and instantaneous firing frequency changes is obtained by passing $y(t) = (K \star s)(t)$ through a non-linear function $g(y)$,

$$f_{s_0}(t) = g(y(t)), \quad y(t) = (K \star s)(t) \quad (47)$$

implementing half-wave rectification, compression or saturation for instance (such a sigmoid non-linearity is illustrated in fig. 21A). The function g is called a *static* or *memoryless* non-linearity because the output $f_{s_0}(t)$ depends only on y at time t . However, $f_{s_0}(t)$ will depend on past values of the stimulus because of the convolution operation with K . Let us now assume that the stimulus ensemble is *Gaussian*. By definition, this means that for arbitrary times, t_1, \dots, t_n the stimulus vector $(s(t_1), \dots, s(t_n))$ is a jointly Gaussian random vector. This property must hold for *all* values of $n = 1, 2, 3, \dots$ ⁸.

⁸This is a very strong assumption. Methods to generate such ensembles are described in Marmarelis and Marmarelis (1978).

Under this assumption, the cross-correlation between the stimulus and spike train can still be computed exactly,

$$R_{sx}(\tau) = c (K \star R_{ss})(\tau), \quad c = \frac{\langle yg(y) \rangle}{\sigma_y^2}, \quad (48)$$

where σ_y^2 is the variance of $y(t) = (K \star s)(t)$. This result is known as Bussgang's theorem (Bendat, 1990). For example, if $y(t)$ is considered to be the somatic current driving the cell, then Bussgang's theorem states that it is possible to recover the cross-correlation between the stimulus and the somatic current from the cross-correlation between the stimulus and the output spike train (under the assumption of eq. 47). Up to a constant factor c , the cross-correlation of eq. 48 is identical to the one obtained in the linear case (eq. 44). Thus, the effects of a static non-linearity are *not* reflected in the time-course of $W_1(\tau)$, but its presence can nevertheless be detected by using input stimuli with different variances (since c depends on the variance of the stimulus).

In the non-linear case, the significance of $W_1(\tau)$ can be understood by considering the following question: in response to the stimulus $s(t)$, which linear function $(h \star s)(t)$ best approximates the instantaneous firing rate of the neuron in the sense that the mean square error,

$$\epsilon^2(h) = \langle [(h \star s)(t) - f_s(t)]^2 \rangle_s \quad (49)$$

is minimized when averaged over the stimulus ensemble? This equation can be solved by using the fact that at the minimum, the first order derivative $d\epsilon^2/dh$ has to vanish. Solving for h yields $h(\tau) = W_1(\tau)$. Thus, the transfer function $W_1(\tau)$ is the best *linear estimator* for the response of the cell (in the mean square sense). The accuracy of this estimate will depend to a large extent on the nature of the non-linearity and can fail completely in certain cases⁹.

In principle, it can be improved by considering estimators consisting of higher order functions of the stimulus,

$$g_s(\tau) = \mathbf{W}_1(s(t))(\tau) + \mathbf{W}_2(s(t_1), s(t_2))(\tau) + \dots \quad (50)$$

⁹An extreme (and academic) example is $g(y) = y^2$, so that $c = 0$ in eq. 48 and the linear estimator is at chance level.

where $\mathbf{W}_1(s(t))(\tau) = (W_1 \star s)(\tau)$, etc... When the stimulus ensemble used is Gaussian white noise, the \mathbf{W}_n 's are called n^{th} order *Wiener kernels* and procedures are known to compute them¹⁰. However, these non-linear methods lack the simplicity and generality of the linear case (Palm and Poggio, 1977). It is for example unclear how the results obtained with one stimulus ensemble will generalize to other stimuli. Even for simple static non-linearities like half-wave rectification, an infinite number of terms is needed in the series of eq. 50. In some cases, considerable progress has been made by combining such methods with specific assumptions on the type of non-linearities involved (Victor, 1987 and 1988; Sakai et al., 1988).

7.3 Stimulus Estimation—Reliability of Encoding

While the first order Wiener kernel method fully characterizes the linear encoding of time-varying stimuli by instantaneous firing rate changes, it has some shortcomings. It does not for example directly assess how much information is contained in a single spike train about a time-varying stimulus, since it focuses on predicting the ensemble average response to the stimulus. All the models illustrated in fig. 3 are able to encode stimulus changes by instantaneous firing rate changes (see footnote 6), but clearly the information contained in single spike trains will depend on the noise corrupting the encoding. In these examples, it can range from extreme (in the Poisson case) to noise-free (in the integrate-and-fire model, fig. 15).

The question of how reliably a single spike train encodes a time-varying stimulus can be successfully addressed by estimating the stimulus from the spike train and characterizing the accuracy of the estimate. Such an estimate can be obtained by *Wiener-Kolmogorov filtering*, a signal processing technique complementary to first order Wiener kernel analysis and closely related to it (Poor, 1994). We consider again a neuron encoding a stimulus by changes in its instantaneous firing rate,

$$f_s(t) = \langle x(t) - m \rangle_{(x|s)} = (K \star s)(t). \quad (51)$$

If we denote by $x_0(t)$ the spike train with its mean firing rate subtracted, $x_0(t) = x(t) - m$, then a linear estimate of the stimulus given the spike train can be obtained by convolving $x_0(t)$ with a filter $h(t)$, $s_{est}(t) = (h \star x_0)(t)$.

¹⁰Such procedures also exist for other stimulus ensembles (Palm and Poggio, 1978; Victor and Shapley, 1980).

Because of the discrete nature of the spike train, this amounts (up to a constant factor) to placing a copy of h around each spike,

$$s_{est}(t) = \sum_{k=1}^N h(t - t_k) - m \int_{-\infty}^{+\infty} h(t) dt \quad (52)$$

to estimate deviations $s(t)$ of the stimulus from its mean value. The filter h is chosen to minimize the mean square error between the stimulus and its estimate,

$$\epsilon^2(h) = \langle [s(t) - h \star x_0(t)]^2 \rangle \quad (53)$$

and is thus the optimal linear estimator given the spike train (in the mean square sense). Eq. 53 is solved in the same way as eq. 49. Imposing the condition $d\epsilon^2/dh = 0$ for the optimal filter and solving for h yields

$$h(\omega) = \frac{S_{sx}(-\omega)}{S_{xx}(\omega)}. \quad (54)$$

This formula is almost identical to the formula for $W_1(\omega)$, with $S_{xx}(\omega)$ playing the role of $S_{ss}(\omega)$. In particular, if the power spectrum of the spike train is flat, $S_{xx}(\omega) = m$ (i.e., Poisson), then $h(\omega) = (1/m)S_{sx}(-\omega)$ from which it follows that $h(\tau) = (1/m)R_{sx}(-\tau)$ is also determined by a simple spike-triggered average. This condition is usually satisfied at low firing rates, when spikes can be considered as nearly independent of each other (Gabbiani and Koch 1996; Wessel *et al.*, 1996). In general, the filter h computed from eq. 54 will not be causal in the sense that $h(t) \neq 0$ for $t > 0$, meaning that the occurrence of a spike can be used to predict the future time-course of the stimulus (this is of course only possible because of the presence of correlations in the stimulus and of the response properties of the neuron). Therefore the filter h represents a *non-causal ideal linear observer* of the spike train in the sense of sect. 5. Causal (ideal) observers and non-linear (ideal) observers have been described in the literature (Snyder, 1975; Bialek *et al.*, 1991; Poor, 1994).

If no correlations exist between $s(t)$ and $x(t)$ (i.e., $S_{sx}(\omega) = 0$ for all frequencies ω) the best linear estimator of $s(t)$ is equal to the mean value, $\langle s(t) \rangle = 0$. The maximal mean square error computed from eq. 53 is then equal to the variance of the stimulus, $\epsilon_{max}^2 = \sigma_s^2$. Therefore, it is convenient to quantify the accuracy of stimulus encoding by normalizing the root mean

square error computed from $s(t)$, $x_0(t)$ and eqs. 53, 54 by its maximal value σ_s ,

$$\epsilon_r = \frac{\sqrt{\epsilon^2}}{\sigma_s}, \quad (55)$$

so that ϵ_r takes values between 0 and 1 with $\epsilon_r = 0$ corresponding to perfect estimation and $\epsilon_r = 1$ to an estimation performance not better than chance level. Equivalently, the *coding fraction*, $\gamma = 1 - \epsilon_r$, represents the percentage of temporal stimulus fluctuations encoded, in units of the stimulus standard deviation.

The performance of stimulus encoding as a function of frequency is characterized by computing the *noise* in the stimulus estimate,

$$n(t) = s(t) - s_{est}(t) \quad (56)$$

and comparing the relative power of the noise and stimulus,

$$SNR(\omega) = \frac{S_{nn}(\omega)}{S_{ss}(\omega)}. \quad (57)$$

This signal-to-noise ratio is equal to 1 when estimation is at chance level for a given frequency (there is then as much noise as there is signal at that frequency) and tends to infinity for perfect estimation¹¹.

An example of stimulus estimation from the spike train of a Poisson model encoding a time-varying random current $i_{mean} + i_0(t)$ is shown in fig. 18. When the correlations in single spike occurrences are dominated by correlations in the stimulus (this condition is exactly satisfied in the Poisson model, see footnote 7), the power spectrum of the spike train is given by eq. 41 so that the linear estimation filter can be computed exactly from knowledge of the linear system's transfer function K :

$$h(\omega) = \frac{K(-\omega)S_{ss}(\omega)}{m + |K(\omega)|^2 S_{ss}(\omega)}, \quad (58)$$

using eqs. 45 and 54. A number of observations can be made using this result (Gabbiani and Koch 1996; Gabbiani 1996). In particular, for a fixed mean firing rate m , the fraction of the stimulus encoded, γ , will increase with the

¹¹The signal-to-noise ratio can also be normalized to take values from 0 to infinity by subtracting 1, see Bialek *et al.* (1991) and Gabbiani (1996).

standard deviation of the stimulus σ_s (or equivalently its contrast σ_s/s_{mean}). This can be explained by the fact that larger values of σ_s correspond to larger fluctuations in the instantaneous firing rate $\sigma_f = \langle x_0(t)^2 \rangle$ (see eq. 51) which encode the stimulus more reliably. For a fixed firing rate *contrast*, σ_f/m , the fraction of the signal encoded will increase with the mean firing rate, m . This can be explained by an increased sampling of the stimulus in the spike train. Finally, the accuracy of stimulus encoding will depend on the characteristics of the stimulus. If, for instance, the frequency content of the stimulus used is not matched to the processing characteristics of the recorded cell (i.e., if there is a substantial range of frequencies for which the signal-to-noise ratio is equal to 1) then the accuracy of stimulus encoding will decrease. In such cases, it is meaningful to estimate only the range of frequencies encoded by the cell, by filtering out from the stimulus frequencies for which $SNR = 1$. The presence of such frequencies will depend on the stimulus used (through $S_{ss}(\omega)$) and the processing performed by the cell (through $K(\omega)$). Similarly, stimuli with natural statistics are expected to yield higher values of the coding fraction because they are more predictable than Gaussian stimuli.

Fig. 19 illustrates the effect of encoding noise on the accuracy of stimulus estimation from single spike trains. A white stimulus $s(t)$ with a cut-off frequency of 10 Hz (figs. 18B and 15) was estimated from the spike trains of the different models illustrated in fig. 3. Examples of a single stimulus from this ensemble and the responses of two models are shown in fig. 15. The fraction of the stimulus encoded is plotted for each one of these models in fig. 19. A single spike train of a Poisson neuron (fig. 15A) is able to encode $\gamma = 14\%$ of the stimulus implying that to obtain an estimate to $\gamma = 90\%$ accuracy, averaging over $N = 74$ independent spike trains is needed (by the usual \sqrt{N} argument; Shadlen and Newsome, 1994; Gabbiani, 1996). In contrast, an integrate-and-fire neuron firing at the same rate will encode $\gamma = 88\%$ of the stimulus, so that only $N = 2$ independent spike trains yield an estimate with a better accuracy. Plotted on the same figure is the C_V of the spike trains used to estimate γ . The C_V goes down as stimulus estimation improves because in these models additional noise in the encoding translates in a larger variability of the spiking output. However, even in the case of a perfect integrator, the $C_V = 0.47$ amounts to half of the one of a Poisson spike train. This variability is not due to noise but is fully devoted to encoding the stimulus in the interspike intervals of the model spike trains. The theoretical numbers illustrated in fig. 19 are indicative of how many neurons are needed to encode accurately a time-varying stimulus; single and

multiple simultaneous recordings allowing to take into account correlations between nerve cells are expected to settle these questions experimentally.

7.4 More General Estimation Techniques

It is worth emphasizing that the optimal linear filter $h(\tau)$ depends only on the cross-correlation $R_{sx}(\tau)$ and the autocorrelation $R_{xx}(\tau)$, as this has important implications. For example, one might be surprised to obtain a good estimate of $s(t)$ with the filter of eq. 54 since the Wiener-Kolmogorov filtering technique was originally designed to deal with a completely different situation: the recovery of $s(t)$ from continuous observations buried in Gaussian white noise. However, as is clear from eq. 54, any other random observation $r(t)$ which has the same cross-correlation $R_{sr}(\tau) = R_{sx}(\tau)$ with the stimulus and autocorrelation function $R_{rr}(\tau) = R_{xx}(\tau)$ as the spike train $x(t)$ will lead to exactly the same estimation problem. This will be so even if $r(t)$ is strikingly different from $x(t)$. Consider for instance the case of a Poisson model as in the previous paragraph. It is easy to see that if instead of observing the spike train we observed

$$r(t) = (K \star s)(t) + m^{1/2}w(t), \quad (59)$$

where $w(t)$ is Gaussian white noise with unit variance, $R_{ww}(\tau) = \delta(\tau)$, then we would be led to the same estimation filter of eq. 54 and the same performance (Snyder, 1975). Thus, in this case estimation from the spike train is *equivalent* to estimation from an observation of $(K \star s)(t)$ buried in Gaussian white noise. The difference between the two signals $x(t)$ and $r(t)$ is illustrated in fig. 20. This remark is important because it implies that improved estimation techniques which have been developed for the additive Gaussian case can also be expected to work when applied to neuronal spike trains. These techniques include adaptive filtering, where the shape of the filter $h(\tau)$ depends on time to take into account firing rate adaptation or changes in the mean stimulus value and/or contrast level over time. In addition, non-linear techniques have been applied successfully to certain types of stimuli. Examples illustrating these techniques and further references are described in chapter 6 of Snyder's reference book on random point processes (Snyder, 1975).

7.5 Non-Linear Encoding and Stimulus Estimation

If the relation between stimulus changes and instantaneous firing rate changes is non-linear, the accuracy of stimulus estimation will again depend to a large extent on the type of non-linearity involved. A neuron which encodes specific features of a time-varying stimulus and disregards most of its time-course (such as might be implemented by a static threshold non-linearity) will yield poor estimation results (Gabbiani *et al.*, 1996; Sheinberg and Logothetis, 1997). In contrast, other non-linearities like firing rate saturation and half-wave rectification are not expected to alter significantly stimulus estimation results (Wessel *et al.*, 1996). Certain types of non-linearities will even improve the encoding of time-varying stimuli in single spike trains under adequate conditions. To illustrate this point, we consider again encoding through a static non-linearity as in eq. 47 and spike trains for which eq. 39 holds, so that the power spectrum can be computed exactly, see eq. 41.

Deviation from linear encoding can be assessed by computing the *magnitude coherence* between the stimulus and instantaneous firing rate,

$$|C_{sf_s}(\omega)| = \frac{|S_{sf_s}(\omega)|}{S_{ss}(\omega)^{1/2}S_{f_s f_s}(\omega)^{1/2}}, \quad (60)$$

where $S_{sf_s}(\omega) = S_{sx}(\omega)$ is the Fourier transform of the cross-correlation between stimulus and instantaneous firing frequency, while $S_{f_s f_s}(\omega)$ is the power spectrum of the instantaneous firing rate. The magnitude coherence is a frequency dependent correlation coefficient measuring the extent of the linear relation between s and f_s (Carter, 1987; Ljung, 1987). For each frequency ω_0 , $|C_{sf_s}(\omega_0)|$ takes values between 0 and 1. If $|C_{sf_s}(\omega_0)| = 0$, the relation between s and f_s is not linear (or non-existent, $S_{sf_s}(\omega) = 0$). When $|C_{sf_s}(\omega_0)| = 1$, the stimulus s and the instantaneous firing rate f_s are perfectly linearly correlated. In the case where f_s is determined by s through eq. 42, it follows from eqs. 38 and 45 that $|C_{sf_s}(\omega_0)| = 1$ at all stimulus frequencies. From eq. 41, we know that $S_{xx}(\omega) = S_{f_s f_s}(\omega) + m > S_{f_s f_s}(\omega)$ so that the magnitude coherence between the stimulus and spike train,

$$\begin{aligned} |C_{sx}(\omega)| &= \frac{|S_{sx}(\omega)|}{S_{ss}(\omega)^{1/2}S_{xx}(\omega)^{1/2}} \\ &= \left(\frac{SNR(\omega) - 1}{SNR(\omega)} \right)^{1/2} \end{aligned} \quad (61)$$

yields a conservative estimate of linearity between stimulus and instantaneous firing rate, $|C_{sf_s}(\omega)| \geq |C_{sx}(\omega)|$. Experimental values of $|C_{sx}(\omega)|^2$ have been reported for wind-sensitive sensory neurons in the cricket cercal system (Theunissen *et al.*, 1996; Roddey and Jacobs, 1996). While $|C_{sx}(\omega)|$ does not measure directly the linearity of stimulus encoding, it has the advantage of being directly related to the performance of stimulus estimation through eq. 61. This equation can be derived from the definition of the noise $n(t)$ and of the signal-to-noise ratio, $SNR(\omega)$ (see eq. 57 and Gabbiani 1996, Theunissen *et al.*, 1996). In contrast, $|C_{sf_s}(\omega)|$ is not in general related to stimulus estimation performance from single spike trains¹², as explained below.

To illustrate the behavior of these two functions in a non-linear situation, we return to the example of a Poisson neuron firing at a mean rate of 50 Hz and encoding a Gaussian random stimulus with a cut-off frequency of 10 Hz in its instantaneous firing rate, as in fig. 18. This input modulates the instantaneous firing rate of the Poisson neuron between 0 and 100 spk/s (fig. 21A). We assume that $s(t)$ and $f_s(t)$ are related through a static sigmoid non-linearity, $f_s(t) = g_{\alpha,l}(s(t))$ of the form

$$g_{\alpha,l}(y) = \alpha \sqrt{\frac{2}{\pi}} \frac{1}{l} \int_0^y e^{-t^2/2l^2} dt. \quad (62)$$

Two examples of such sigmoids are illustrated in fig 21A together with the Gaussian distribution of the input stimulus $s(t)$ used in fig. 18 and in the following. When the non-linearity is of the form shown in eq. 62, the cross-correlation between $s(t)$ and $f_s(t)$ can be computed exactly (using Bussgang's theorem; see Bendat, 1990). This is also true for the autocorrelation function of the spike train which is given by¹³

$$\begin{aligned} R_{xx}(\tau) &= R_{f_s f_s}(\tau) + m\delta(\tau) \\ &= \frac{2\alpha^2}{\pi} \sin^{-1} \left(\frac{R_{ss}(\tau)}{\sigma_s^2 + l^2} \right) + m\delta(\tau) \end{aligned} \quad (63)$$

where σ_s is the standard deviation in firing rate caused by the random stimulus ($\sigma_s = 20$ Hz in the example of fig. 21A). Thus, it is possible from these

¹²The magnitude coherence $|C_{sf_s}(\omega)|$ is also difficult to measure experimentally as compared to $|C_{sx}(\omega)|$.

¹³This famous result is originally due to R.F. Baum (1957). More recent derivations use a result due to Price (1958).

equations to compute $|C_{sf_s}(\omega)|$ and $|C_{sx}(\omega)|$ numerically (by using a fast Fourier transform algorithm, for instance). The results are shown in fig. 21B for the two sigmoids of fig. 21A. Note that in the case of the sigmoid with shallow slope (thin line), the magnitude coherence $|C_{sf_s}(\omega)|$ is almost equal to 1, indicative of a relation between $s(t)$ and $f_s(t)$ which is very close to linear, while the stimulus estimation performance is relatively poor ($|C_{sx}(\omega)| \cong 0.5$ corresponds to $\gamma = 0.14$, see fig. 18). By increasing the gain of the sigmoid (fig. 21A, thick line) the linear correlation between $s(t)$ and $f_s(t)$ is slightly diminished (the linear range is clearly reduced as compared to the compression range, see fig. 21A), while the performance in stimulus estimation is considerably improved ($|C_{sx}(\omega)| \cong 0.72$ corresponding to $\gamma = 0.33$). This is due to the fact that a large portion of the dynamic firing range of the cell is now devoted to encoding the most likely fluctuations of the stimulus (which would otherwise only cause modulations between ± 20 spk/s; fig. 21A).

The address of Drs. Gabbiani and Koch is Division of Biology, 139-74, California Institute of Technology, Pasadena, California 91125. Electronic mail should be addressed to gabbiani@klab.caltech.edu.

A Appendix

A.1 Numerical estimation methods

In practice, the quantities defined in the main text, such as the C_V of the ISI distribution or the power spectrum of the spike train have to be estimated from experimental or simulated data. This appendix provides a short summary of statistical and numerical methods used to obtain such estimates. We will not attempt to cover the subject in depth since extensive treatments may be found in the literature. A classical reference devoted to the statistical analysis of point processes is the book by Cox and Lewis (1966); further standard textbooks and reference sources include Oppenheim and Schaffer (1989), Press *et al.* (1992), Anderson (1994) and Ljung (1987).

Mean and variance of the ISI distribution.

The mean of the ISI distribution is estimated by the *sample mean*,

$$\hat{t} = \frac{1}{k} \sum_{i=1}^k t_i \quad (64)$$

where t_1, \dots, t_k are successively observed interspike intervals. The variance may be estimated from

$$\begin{aligned} \hat{\sigma}_t^2 &= \frac{1}{k} \sum_{i=1}^k (t_i - \hat{t})^2 \\ &= \left(\frac{1}{k} \sum_{i=1}^k t_i^2 \right) - \hat{t}^2. \end{aligned} \quad (65)$$

In general, the accuracy of these estimates will depend on the extend of correlations between successive interspike intervals of the spike train (Cox and Lewis, 1966; Anderson 1994). The most favorable case is the renewal process since successive intervals are independent. In this case, the variance of \hat{t} is given by σ_t^2/k and decreases linearly with the number of observations from an initial value equal to the variance, σ_t^2 , of the ISI distribution. Typically, a few thousand spikes will be sufficient to obtain reliable estimates of \bar{t} and σ_t .

Mean and variance of the spike count.

The simplest estimate of the spike count mean and variance on an interval of length T is obtained by subdividing an observation interval T_0 (much longer than T) into $k = T/T_0$ intervals T_1, \dots, T_k of length T . If N_i is the observed count in T_i , we form the estimators,

$$\hat{N}(T) = \frac{1}{k} \sum_{i=1}^k N_i, \quad (66)$$

$$\begin{aligned} \hat{V}(T) &= \frac{1}{k} \left(\sum_{i=1}^k N_i - \hat{N}(T) \right)^2 \\ &= \left(\frac{1}{k} \sum_{i=1}^k N_i^2 \right) - \hat{N}(T)^2. \end{aligned} \quad (67)$$

Clearly, this is not the only way of subdividing T_0 into intervals of length T . The intervals $T_1 + (1/2)T, \dots, T_{k-1} + (1/2)T$ provide $(k - 1)$ further observations of N which can be used to form refined estimators for $N(T)$ and $V(T)$. However, the improvement will not be as substantial as from independent observations, since these new spike counts are correlated to the previous ones. A technique based on this remark consists in subdividing T_0 in $k \cdot r$ intervals $T_1^{sd}, \dots, T_{kr}^{sd}$ of length T^{sd} , such that $T = r \cdot T^{sd}$. One then computes a "moving average" estimate of the spike count in all successive intervals of length T by summing r consecutive intervals of length T^{sd} : $N_i = \sum_{j=i}^{r+i} N_j^{sd}$, where N_j^{sd} is the spike count in T^{sd} . As a rule of thumb, estimates obtained from eqs. 66 and 67 require at least 10 times more data, *i.e.*, $T_0 \geq 10T$, than the largest interval T of interest. Moving average estimates are accurate on intervals which have a length of at most 20 – 25% of T_0 (Cox and Lewis, 1966).

Power spectrum and autocorrelation of the spike train.

The starting point for power spectral density estimation is the *Wiener-Khinchin formula*,

$$S_{xx}(\omega) = \lim_{T \rightarrow \infty} \frac{1}{T} |X_0(\omega)|^2 \quad (68)$$

$$X_0(\omega) = \int_0^T x_0(t) e^{i\omega t} dt, \quad x_0(t) = x(t) - m,$$

which states that the power spectrum can be obtained directly as the squared modulus of the Fourier transformed series $X_0(\omega)$.

In practice, the occurrence of spikes is recorded with a finite temporal resolution Δt , so that the time series of action potential events is of the form $x = \{x_1, \dots, x_N\}$, where $x_i = x(t_i)$, $t_i = i \cdot \Delta t$ ($i = 1, \dots, N$) and $T = N\Delta t$ is the recording time. The value of x_i is either 0 (if no action potential occurred in the interval $t_i \pm (1/2)\Delta t$) or $1/\Delta t$ (if an action potential occurred in the interval $t_i \pm (1/2)\Delta t$) which is the discrete approximation of the continuous δ -function. The series $\{x_0(t_i)\}_{i=1}^N$ is obtained from $\{x(t_i)\}_{i=1}^N$ by subtracting the mean firing rate, $m = (1/N) \sum_{n=1}^N x_i$.

Ideally, the sampling interval Δt should be sufficiently fast to resolve the action potential wave-form, thus preventing the aliasing of frequencies above the Nyquist frequency ($f_c = 1/2\Delta t$) below it. In practice, the power spectral

density is of interest only for low frequencies (typically well below 200 Hz) and a sampling interval of 0.5 ms (or even 1 ms) is amply sufficient.

The continuous Fourier transform is approximated by the discrete Fourier transform

$$\hat{X}_0(f_j) = \Delta t \tilde{X}_{0j}, \quad \tilde{X}_{0j} = \sum_{m=1}^N x_i e^{2\pi i f_j t_m}, \quad (69)$$

where $f_j = \omega_j/2\pi$ takes values at the discrete frequencies $f_j = j/N\Delta t$, $j = -N/2, \dots, +N/2$ (for N even). An estimator for the power spectral density is given by the *periodogram*,

$$\hat{S}(f_j) = \frac{(\Delta t)^2}{T} |\tilde{X}_{0j}|^2, \quad j = -\frac{N}{2}, \dots, \frac{N}{2}. \quad (70)$$

Without any form of averaging, this estimate will be very unreliable. A computationally convenient averaging procedure consists in subdividing the observation series in k contiguous segments $l = 1, \dots, k$, compute the periodogram $\hat{S}_l(f_j)$ separately over each segment and then average,

$$\hat{S}(f_j) = \frac{1}{k} \sum_{l=1}^k \hat{S}_l(f_j). \quad (71)$$

A typical example would consist of a spike train sampled at $\Delta t = 0.5$ ms for which $N = 2048$ points (1.024 s) are used to compute a single periodogram with a resolution of approximately $1000/1024 \cong 1$ Hz in the frequency domain¹⁴. The number of segments needed to obtain a reliable estimate will depend on the firing frequency of the neuron; typically, averaging over 100 segments or 10'000 spikes should yield reasonably accurate results.

The estimate of eq. 71 is further improved by multiplying each segment of data with a *window function* prior to Fourier transforming. This minimizes the boundary effects due to the finite size of the samples. Such a function is the Bartlett window,

$$w_k = \begin{cases} \frac{2(k-1)}{N-1} & 1 \leq k \leq \frac{N+1}{2}, \\ 2 - \frac{2(k-1)}{N-1} & \frac{N+1}{2} \leq k \leq N, \end{cases} \quad (72)$$

¹⁴The number of points N is usually chosen to be a power of 2 so that fast Fourier transform algorithms can be applied.

which peaks at the center of the segment and decreases linearly with distance from the center. Thus, prior to Fourier transforming, one replaces (x_1, \dots, x_N) by (w_1x_1, \dots, w_Nx_N) .

Finally, the estimate of eq. 71 can also be improved by *overlapping* the segments on which the periodograms are computed. In other words, if the first segment consists of data points x_1, \dots, x_{2048} , as in the previous example, the second segment should be $(x_{1024}, \dots, x_{3072})$, etc...

An estimate of the autocorrelation function is obtained from the power spectral density by a straightforward discrete inverse Fourier transformation. Similarly, estimates of cross-correlation functions are obtained using exactly the same procedure outline above, but starting from

$$S_{sx}(\omega) = \lim_{T \rightarrow \infty} \frac{1}{T} S(\omega) \bar{X}_0(\omega), \quad (73)$$

where the symbol “ $\bar{\cdot}$ ” denotes complex conjugation.

1st order Wiener kernel, Wiener-Kolmogorov filtering.

The first order transfer functions of eqs. 45 and 54 can in principle be estimated directly from the cross-correlation and power spectral density estimates discussed above. However, this involves a division operation which is very sensitive to noise in the estimates of $S_{sx}(\omega)$ and $S_{ss}(\omega)$ (or $S_{xx}(\omega)$). In the case of the 1st order Wiener kernel, this numerically unstable operation may be circumvented by using a white stimulus so that division by $S_{ss}(\omega)$ at each frequency is replaced by an overall multiplicative constant, see eq. 46. One effective way of reducing such noise consists in carefully selecting the sampling step Δt to exclude frequencies higher than those conveyed by the system since they only deteriorate the estimate of the transfer function. An example illustrating this point is provided by tutorial 4 of our MATLAB subroutines. More advanced techniques are discussed in Ljung (1987). Typically, at least 10'000 spikes are needed to obtain reliable estimates of these transfer functions.

An estimator for the mean square error of eq. 55 is obtained from,

$$\hat{\epsilon} = \frac{1}{N} \sum_{i=1}^N (s_i - s_{est i})^2, \quad (74)$$

where s_i is the stimulus value at time point $i\Delta t$ and $s_{est i}$ is the estimate obtained by discrete convolution of the Wiener-Kolmogorov filter with $\{x_{0i}\}$.

In an optimal situation, the filter h is computed from one data set and the error is estimated from a different data set to avoid a bias of the estimate $\hat{\epsilon}^2$ towards lower values than the true value ϵ^2 (this technique is called the *cross-validation method*). In practice, the bias is usually negligible if a sufficiently long data record is used (typically $|\hat{\epsilon} - \epsilon|/\sigma_s \leq 0.01$ for data stretches longer than 100 s) and the same data set may be used to compute the filter and the estimate $\hat{\epsilon}^2$ (this technique is called the *resubstitution method*). However, the bias can be significant in some cases, see tutorial 6 of our MATLAB subroutines for examples.

A.2 MATLAB interface and routines

Location.

The software as well as the following description may be found on the web at <http://www.klab.caltech.edu/~gabbiani/signproc.html>. The software consists of compressed and archived files directly usable under Unix.

System requirements.

Our routines are written entirely using the programming commands of the MATLAB environment and are therefore independent of the particular platform used (Unix, Windows or MacOS based systems). In addition to the core MATLAB environment, some analysis routines require the Signal Processing Toolbox. The simulation routines and the graphical interface require the Simulink Toolbox. (The random number generator of the Statistics Toolbox is also used, but could be replaced by a random number generator described in the literature, Press *et al.*, 1992.) A fast computer with plenty of memory is recommended.

Software and data.

The software consists of 4 different parts.

1) *Graphical interface and simulation routines.* This part of the package was written using the S-function formalism (see the Simulink reference manual) and is activated by the `startneuro` M-file (*i.e.*, by entering the command `startneuro` at the MATLAB prompt; see fig. 22). The subthreshold membrane voltage dynamics of the models described in the main text is linear

and was implemented by numerical integration using a fixed time step. This greatly reduces the programming load but leads to relatively slow simulations. More sophisticated algorithms are described in chapter 14. Numerical simulation results were checked by comparison with analytical results (see point 2) below), but no benchmark tests were performed to assess precisely the numerical accuracy of these routines. We would also like to caution the user that simulation results can be affected by the time step used, the properties of random number generators and the stability of the linear system simulated.

2) *Analysis routines.* These M-files implement the analysis procedures discussed in the main text. In addition, many theoretical results described there are also implemented in the form of M-files, allowing a direct comparison between simulations and theory. References to the literature are provided in the M-files themselves or through the MATLAB help utility.

3) *Tutorials data.* The spike trains and stimuli data sets resulting from simulations of the tutorials can also be downloaded, thus avoiding to actually go through the simulations themselves before performing a data analysis.

4) *Figure notes.* These notes describe how each figure of the main text was obtained, in the hope that this will clarify the results presented and provide starting points for further simulations.

References

- Abeles, M. (1990) *Corticonics: Neural Circuits of the Cerebral Cortex*. Cambridge University Press, Cambridge (United Kingdom).
- Allan, C. and Stevens, C.F. (1994) "An evaluation of causes for unreliability of synaptic transmission", *Proc. Natl. Acad. Sci. USA* **91**: 10380-10383.
- Anderson, T.W. (1994) *The Statistical Analysis of Time Series*. Classics library ed., J. Wiley, New York.
- Baum, R.F. (1957) "The correlation function of smoothly limited Gaussian noise", *IRE Trans. Inf. Th.* **3**: 193-197.
- Bayly, E.J. (1968) "Spectral Analysis of Pulse Frequency Modulation in the Nervous System", *IEEE Trans. Biomed. Eng.* **15**: 257-265.
- Bair, W., Koch, C., Newsome, W. and Britten, K. (1994) "Power spectrum analysis of bursting cells in area MT in the behaving monkey", *J. Neurosci.* **14**: 2870-2892.
- Barlow, H.B., Levick, W.R. and Yoon, M. (1971) "Responses to single quanta of light in retinal ganglion cells of the cat", *Vis. Res. Supp.* **3**: 87-101.
- Bendat, J.S. (1990) *Nonlinear System Analysis and Identification from Random Data*. J. Wiley, New York.
- Bialek, W., Rieke, F., van Steveninck, R.R.D. and Warland, D. (1991) "Reading a neural code", *Science* **252**: 1854-1857.
- de Boer, E. (1973) "On the Principle of Specific Coding", *J. Dyn. Syst., Meas. & Contr.* **95**: 265-273.
- Britten, K.H., Shadlen, M.N., Newsome, W.T. and Movshon, A. (1992) "The analysis of visual motion: a comparison of neuronal and psychophysical performance", *J. Neurosci.* **12**: 4745-4765.
- Calvin, W. and Stevens, C.F. (1968) "Synaptic Noise and Other Sources of

Randomness in Motoneuron Interspike Intervals”, *J. Neurophysiol.* **31**: 574-587.

Carter, G.C. (1987) “Coherence and time delay estimation”, in *Traitement du Signal — Statistical Signal Processing*, Lacoume J.L., Durrani, T.S. and Stora R. (eds.). Les Houches Summer School in Theoretical Physics, XLV, North Holland, Amsterdam.

Chung S.H., Raymond, S.A. and Lettvin, J.Y. (1970) “Multiple meaning in single visual units”, *Brain, Behavior Evol.* **3**: 72-101.

Cohn, T. E., Green, D.G. and Tanner, W.P. (1975) “Receiver Operating Characteristic Analysis, Application to the Study Quantum Fluctuation Effects in Optic Nerve of *Rana pipiens*”, *J. Gen. Physiol.* **66**: 583-616.

Cox, D.R. (1962) *Renewal Theory*. Meuthen, London.

Cox, D.R. and Lewis, P.A.W. (1966) *The Statistical Analysis of Series of Events*. Chapman and Hall, London.

Cox, D.R. and Isham, V. (1980) *Point Processes*. Chapman and Hall, London.

Dan, Y., Atick, J.J. and Reid, R.C. (1996) “Efficient Coding of Natural Scenes in the Lateral Geniculate Nucleus: Experimental Test of a Computational Theory”, *J. Neurosci.* **16**: 3351-3362.

DeAngelis, G.C., Ohzawa, I. and Freeman, R.D. (1993) “Spatiotemporal Organization of Simple-Cell Receptive Fields in the Cat’s Striate Cortex. II. Linearity of Temporal and Spatial Summation”, *J. Neurophysiol.* **69**: 1118-1135.

Decharms, R.C. and Merzenich, M.M. (1996) “Primary cortical representation of sounds by the coordination of action potential timing”, *Nature* **381**: 610-613.

Dong, D. W. and Atick, J.J. (1995) “Temporal Decorrelation — A theory of lagged and nonlagged responses in the lateral geniculate-nucleus”, *Network*:

Comput. Neur. Syst. **6**: 159-178.

Dong, D. W. (1995) "Statistics of natural time-varying images", *Network: Comput. Neur. Syst.* **6**: 345-358.

Eskandar, E.N., Richmond, B.J. and Optican, L.M. (1992) "Role of inferior temporal neurons in visual memory: I. Temporal encoding of information about visual images, recalled images and behavioral context", *J. Neurophysiol.* **68**: 1277-1295.

Franklin, J. and Bair, W. (1995) "The effect of a refractory period on the power spectrum of neuronal discharge", *SIAM J. Appl. Math.* **55**: 1074-1093.

Freeman, W.J. (1975) *Mass Action in the Nervous System*. Academic Press, New York.

Gabbiani, F. (1996) "Coding of time-varying signals in spike trains of linear and half-wave rectifying neurons", *Network: Comput. Neur. Syst.* **7**: 61-85.

Gabbiani, F. and Koch, C. (1996) "Coding of Time-Varying Signals in Spike Trains of Integrate-and-Fire Neurons with Random Threshold", *Neur. Comput.* **8**: 44-66.

Gabbiani, F., Metzner, W., Wessel, R. and Koch, C. (1996) "From stimulus encoding to feature extraction in weakly electric fish", *Nature* **384**: 564-567.

Gestri, G. (1971) "Pulse frequency modulation in neural systems", *Biophys. J.* **11**: 98-109.

Gestri, G., Masterbroek, H.A.K. and Zaagman, W.H. (1980) "Stochastic constancy, variability and adaptation of spike generation. Performance of a giant neuron in the visual system of the fly", *Biol. Cybern.* **38**: 31-40.

Green, D. and Swets, J. (1966) *Signal Detection Theory and Psychophysics*. John Wiley, New York.

Holt, G., Softky, W., Koch, C. and Douglas, R.J. (1996) "A Comparison of

Discharge Variability *In Vitro* and *In Vivo* in Cat Visual Cortex Neurons”, *J. Neurophysiol.* **75**: 1806-1814.

Knight, B. (1972a) “Dynamics of encoding in a population of neurons”, *J. Gen. Physiol.* **59**: 734-766.

Knight, B. (1972b) “The relationship between the firing rate of a single neuron and the level of activity in a population of neurons”, *J. Gen. Physiol.* **59**: 767-778.

Lapicque, L. (1907) “Recherches quantitatives sur l’excitation électrique des nerfs traitée comme une polarisation,” *J. Physiol. (Paris)* **9**: 620-635.

Lapicque, L. (1926) *L’excitabilité en fonction du temps*. Presses Universitaires de France, Paris.

Laurent, G. (1996) “Dynamical representation of odors by oscillating and evolving neural assemblies”, *Trends Neurosci.* **19**: 489-496.

Lisman, J.E. (1997) “Bursts as a unit of neural information: making unreliable synapses reliable”, *Trends Neurosci.* **20**: 38-43.

Ljung, L. (1987) *System identification theory for the user*. Prentice Hall PTR, Upper Saddle River (New Jersey).

Marmarelis, P.Z. and Marmarelis, V.Z. (1978) *Analysis of Physiological Systems. The White Noise Approach*. Plenum Press, New York.

Mainen, Z.F. and Sejnowski, T.J. (1995) “Reliability of spike timing in neocortical neurons”, *Science* **268**: 1503-1506.

McLean, J. and Palmer, L.A. (1989) “contribution of linear spatiotemporal receptive field structure to velocity selectivity of simple cells in area 17 of cat”, *Vis. Res.* **29**: 675-679.

Müller, J.W. (1974) “Some formulae for a dead-time-distorted Poisson process”, *Nucl. Inst. & Meth.* **117**: 401-404.

Newsome, W.T., Britten, K.H. and Movshon, J.A. (1989) "Neuronal correlates of a perceptual decision", *Nature* **341**: 52-54.

Oppenheim, A.V. and Schaffer, R.W. (1989) *Discrete Signal Processing*. Prentice Hall, Englewood Cliffs (New Jersey).

Palm, G. and Poggio, T. (1977) "The Volterra representation and the Wiener expansion: validity and pitfalls", *SIAM J. Appl. Math.* **33**: 195-217.

Palm, G. and Poggio, T. (1978) "Stochastic Identification methods for non-linear systems: an extension of the Wiener theory", *SIAM J. Appl. Math.* **34**: 524-534.

Peřina, J. (1985) *Coherence of Light*. 2nd ed., D. Reidel Publ. Co., Dordrecht.

Poggio, T. and Torre, V. (1977) "A Volterra Representation for Some Neuron Models", *Biol. Cybern.* **27**: 113-124.

Poor, H.V. (1994) *An Introduction to Signal Detection and Estimation*. 2nd ed., Springer-Verlag, New York.

Press, W.H., Teukolsky, S.A., Vetterling, W.T. and Flannery, B.P. (1992) *Numerical Recipes in C. The Art of Scientific Computing*. 2nd ed., Cambridge University Press, Cambridge (United Kingdom).

Price, R. (1958) "A Useful Theorem for Nonlinear Devices Having Gaussian Inputs", *IRE Trans. Inf. Th.* **4**: 69-72.

Reid, C.R. and Alonso, J.-M. (1995) "Specificity of monosynaptic connections from thalamus to visual cortex", *Nature* **378**: 281-284.

Rieke, F., Warland, D., van Steveninck, R.R.D. and Bialek, W. (1996) *Spikes: Exploring the Neural Code*. MIT Press, Cambridge (Massachusetts).

Roddey, J.C. and Jacobs, G.A. (1996) "Information Theoretic Analysis of Dynamical Encoding by Filiform Mechanoreceptors in the Cricket Cercal System", *J. Neurophysiol.* **75**: 1365-1376.

Sakai, H.M., Naka, K.-I. and Korenberg, J. (1988) "White-noise analysis in visual neuroscience", *Vis. Neurosci.* **1**: 287-296.

Saleh, B.E.A. (1978) *Photoelectron Statistics*. Springer-Verlag, New York.

Saleh, B.E.A., Tavalacci, J.T. and Teich, M.C. (1981) "Discrimination of Shot-Noise-Driven Poisson Processes by External Dead Time: Application to Radioluminescence from Glass", *IEEE J. Quant. El.* **17**: 2341-2350.

Saleh, B.E.A. and Teich, M.C. (1985) "Multiplication and Refractoriness in the Cat's Retinal-Ganglion-Cell Discharge at Low Light Levels", *Biol. Cybern.* **52**: 101-107.

Saul, A.B. and Humphrey, A.L. (1990) "Spatial and temporal response properties of lagged and nonlagged cells in cat lateral geniculate-nucleus", *J. Neurophysiol.* **64**: 206-224.

Scharf, L.L. (1991) *Statistical Signal Processing. Detection, Estimation, and Time Series Analysis*. Addison-Wesley, New York.

Schmitt, F. O., ed. (1970) "The Neurosciences, Second Study Program". The Rockefeller University Press, New York.

Shadlen, M.N. and Newsome, W.T. (1994) "Noise, neural codes and cortical organization", *Curr. Opin. Neurobiol.* **4**: 569-579.

Sheinberg, D.L. and Logothetis, N.K. (1997) "The Role of Temporal Cortical Areas in Perceptual Organization", *Proc. Nat. Acad. Sci. USA*, in press.

Singer, W. and Gray, C.M. (1995) "Visual feature integration and the temporal correlation hypothesis", *Ann. Rev. Neurosci.* **18**: 555-586.

Snowden, R.J., Treue, S. and Andersen, R.A. (1992) "The response of neurons in areas V1 and MT of the alert rhesus monkey to moving random dot patterns", *Exp. Brain Res.* **88**: 389-400.

Snyder, D.L. (1975) *Random Point Processes*. J. Wiley, New York.

Softky, W.R. and Koch, C. (1993) "The highly irregular firing of cortical cells is inconsistent with temporal integration of random EPSP's", *J. Neurosci.* **13**: 334-350.

Stein, R.B. (1967a) "The frequency of nerve action potentials generated by applied currents", *Proc. R. Soc. Lond. B* **167**: 64-86.

Stein, R.B. (1967b) "Some models of neuronal variability", *Biophys. J.* **7**: 37-68.

Strehler, B.L. and Lestienne, R. (1986) "Evidence on precise time-coded symbols and memory of patterns in monkey cortical neuronal spike trains", *Proc. Natl. Acad. Sci. USA* **83**: 9812-9816.

Stuart, G.J. and Sakmann, B. (1994) "Active propagation of somatic action potentials into neocortical pyramidal cell dendrites", *Nature* **367**: 69-72.

Teich, M.C. (1981) "Role of the doubly stochastic Neyman type-A and Thomas counting distributions in photon detection", *Appl. Optics* **20**: 2457-2467.

Teich, M.C. (1989) "Fractal character of the auditory neural spike train", *IEEE Trans. Biomed. Eng.* **36**: 150-160.

Teich, M., Turcott, R.G. and Siegel, R.M. (1996) "Temporal correlation in cat striate-cortex neural spike trains", *IEEE Eng. Medicine & Biol.* **15**: 79-87.

Theunissen, F., Roddey, J.C., Stufflebeam, S., Clague, H. and Miller, J.P. (1996) "Information Theoretic Analysis of Dynamical Encoding by Four Identified Primary Sensory Interneurons in the Cricket Cercal System", *J. Neurophysiol.* **75**: 1345-1364.

Thibos, L.N., Levick, W.R. and Cohn, T.E. (1979) "Receiver Operating Characteristic Curves for Poisson Signals", *Biol. Cyber.* **33**: 57-61.

Troyer, T.W. and Miller, K.D. (1997) "Physiological gain leads to high ISI variability in a simple model of a cortical regular spiking cell", *Neur. Com-*

put., in press.

Tuckwell, H.C. (1988) *Introduction to Theoretical Neurobiology. Volume 2: Nonlinear and Stochastic Theories*. Cambridge University Press, Cambridge (United Kingdom).

Usher, M., Stemmler, M., Koch, C. and Olami, Z. (1994) "Network Amplification of Local Fluctuations Causes High Spike Rate Variability, Fractal Firing Patterns and Oscillatory Local Field Potentials", *Neural Comput.* **6**: 795-836.

van Vreeswijk, C. and Sompolinsky, H. (1996) "Chaos in Neuronal Networks with Balanced Excitatory and Inhibitory Activity", *Science* **274**: 1724-1726.

Victor, J.D. (1987) "The dynamics of the cat retinal X cell centre", *J. Physiol. (Lond.)* **386**: 219-246.

Victor, J.D. (1988) "The dynamics of the cat retinal Y cell subunit", *J. Physiol. (Lond.)* **405**: 289-320.

Victor, J. and Shapley, R. (1980) "A method of nonlinear analysis in the frequency domain", *Biophys. J.* **29**: 459-484.

Vogels, R. and Orban, G.A. (1990) "How well do response changes of striate neurons signal differences in orientation—a study in the discriminating monkey", *J. Neurosci.* **10**: 3543-3558.

Vogels, R., Spileers, W. and Orban, G.A. (1989) "The response variability of striate cortical neurons in the behaving monkey", *Exp. Brain Res.* **77**: 432-436.

Wandell, B.A. (1995) *Foundations of Vision*. Sinauer Associates Inc., Sunderland.

Wehr, M. and Laurent, G. (1996) "Odor encoding by temporal sequences of firing in oscillating neural assemblies", *Nature* **384**: 162-166.

Wessel, R., Koch, C. and Gabbiani, F. (1996). Coding of Time-Varying Elec-

tric Field Amplitude Modulations in a Wave-Type Electric Fish. *J. Neurophysiol.* **75**: 2280-2293.

Zeevi, Y.Y and Bruckstein, A.M. (1977) "A Note on Single Signed Integral Pulse Frequency Modulation", *IEEE Trans. Syst., Man & Cyber.* **7**: 875-877.

Figure captions

Figure 1. Two variants of integrate-and-fire “units”. Common to both are passive integration within a single compartment for the subthreshold domain and a voltage threshold V_{th} . Whenever the membrane potential V_m reaches V_{th} , a pulse is generated and the circuit is short-circuited. For a duration t_{ref} following spike generation, any input $I(t)$ is shunted to ground (corresponding to an absolute refractory period). **A:** The *perfect* or *non-leaky* integrate-and-fire model contains but a capacitance. **B:** The *leaky* or *forgetful integrate-and-fire* unit accounts for the decay of the membrane potential by an additional component, a leak resistance R_m .

Figure 2. $f-I$ curves of an integrate-and-fire model without and with refractory period (thin solid line and dashed line, respectively) and of a leaky integrate-and-fire model with refractory period (thick solid line). The $f-I$ curve of the integrate-and-fire neuron saturates for high input currents at the inverse of the absolute refractory period (here 5 ms). The leaky integrate-and-fire model will not respond to currents less than I_{th} (arrow) because of its tendency to “forget” inputs, while for high currents its $f-I$ curve becomes similar to the one of the perfect integrate-and-fire model. This and all following figures were generated using the MATLAB routines described in appendix A.2 and made available at our web site.

Figure 3. Sample spike trains and interspike interval (ISI) distributions from various models in response to a constant current input into a perfect integrator model. All models have an absolute refractory period of 2 ms and a mean firing rate of 83 Hz. **A:** A Poisson distributed (*i.e.*, exponential) random voltage threshold yields the most irregular spike train and an exponential ISI distribution. In the absence of a refractory period, C_V would be 1. **B-D:** Gamma distributed random thresholds of order 2, 5 and 10 yield increasingly regular ISI distributions which are gamma distributed of order 2, 5 and 10, respectively. **E:** The integrate-and-fire model yields a perfectly regular spike train, corresponding to the limit $n \rightarrow \infty$. Spike trains with the identical properties can be generated by a perfect integrator with fixed voltage threshold, Poisson distributed synaptic input and **A:** $n_{th} = 1$ (that is each input triggers one output spike), **B-D:** $n_{th} = 2, 5$ and 10 and **E:** a constant input current. The rate of the input Poisson process is adjusted to

obtain the same mean firing rate in all cases.

Figure 4. A perfect or non-leaky integrate-and-fire model averages out noise by summing its inputs until V_{th} is reached. While the Poisson synaptic input (lower trace) is highly irregular, the time to the next spike is averaged out in the membrane voltage (V_m , middle trace), yielding a more regular output spike train (top trace). In this example, $n_{th} = 5$ inputs are needed to reach threshold, thus yielding a spike train with gamma distributed ISI distribution of order 5 (see fig. 3C), whereas the synaptic input ISI distribution is exponential (see fig. 3A).

Figure 5. Coefficient of variation of an integrate-and-fire neuron with a 2 ms refractory period as a function of the mean ISI. The different curves denote the number of inputs n_{th} summed by the model to reach the voltage threshold. As the firing frequency increases towards the limit imposed by the refractory period t_{ref} (arrow), the spike trains becomes more regular ($C_V \rightarrow 0$ for mean ISI $\rightarrow 2$ ms). In other words, the refractory period exerts a regularizing effect on the spike train.

Figure 6. A: Sample input current and spike train for the retinal ganglion cell model described in the main text, based on a doubly stochastic Poisson process. **B:** Because of the added source of variability in the input current, the ISI distribution is more irregular than the one associated with a Poisson model (for which we would obtain $C_V = 1$).

Figure 7. A: Comparison of a Poisson (thick solid line) and Neyman type-A distribution (NTA, dotted line) of spike counts. The means of the two distributions are identical (8.35 spikes), but the variance of the NTA distribution is larger than the mean (the effective multiplication parameter k is equal to 1.45 in this example). **B:** Spike count distribution (dashed line) obtained from a spike train with a gamma distributed ISI of order 2 (see fig. 3B). The mean firing rate is $f = 50$ Hz and $T = 200$ ms. The corresponding Gaussian approximation (solid line, see main text) is already very good, even though only 10 spikes are expected in this period.

Figure 8. Variance as a function of mean spike count in several examples (the slope of these lines is the Fano factor of eq. 14). The curve with largest variance (dotted line) corresponds to the retinal ganglion cell model

illustrated in fig. 6 and was obtained by simulation. For a given mean spike count, its variance is higher than the variance of a Poisson spike train (thick solid line), which has unit slope; that is, the variance increases as the mean number of spikes. Adding a 2 ms refractory period to the Poisson model (thin solid line) regularizes the spike count distribution, while the variance of a model with gamma distributed ISI of order 2 (dashed line, see fig. 3B) is only half of the mean spike count.

Figure 9. A: Spike count distribution of a Poisson model with mean firing rates of 40 and 50 Hz, respectively, corresponding to the spike count densities p_0 (for stimulus 0) and p_1 (for stimulus 1; they are plotted here for a $T = 200$ ms observation window). The likelihood ratio for these two distributions is shown on top. Since $l(n)$ is monotone, a given decision threshold k for the likelihood ratio corresponds to a decision threshold k' for the spike count. **B:** The commonly used Neyman-Pearson decision rule maximizes the probability of detection, P_D , for any fixed value of the probability of false-alarm, P_{FA} . The associated ROC curve is obtained by varying the threshold k' (see top illustration) from a very high value (yielding in the limit of $k' \rightarrow \infty$, $P_D = P_{FA} = 0$) to a very low value (in the limit $k' \rightarrow -\infty$, $P_D = P_{FA} = 1$). For each value of the threshold k' , the probability of false-alarm P_{FA} (eq. 22; that is, believing that stimulus 1 was present while, in fact, stimulus 0 was present) is given by the integral of p_0 to the right of the threshold and is indicated by the grey surface (top illustration). The probability of detection P_D (eq. 23) of stimulus 1 corresponds to the integral of p_1 to the right of the threshold (hatched area). The ROC curve is a plot of this latter area (P_D) as a function of P_{FA} . The dashed line below the ROC curve indicates chance performance. On the opposite, the closer the ROC curve lies to the bold dashed lines, the better the performance.

Figure 10. A: ROC curves for the same model as in fig. 9 and for increasing sampling times, $T = 200$, $T = 500$, $T = 1000$ and $T = 2000$ ms, respectively (only the two extreme curves are labeled). The performance of the ideal observer increases in parallel with the sampling time. In **A** and **B** the dashed straight line indicates chance level. **B:** The middle curve (thick line) shows the discrimination performance of the ideal observer of two Poisson spike counts (same parameters as in figs. 9B and 10A). The lower curve (dotted line) describes the performance of the ideal observer for spike counts distributed according to Neyman type-A (with same mean firing rates as in

fig. 9). The upper curve (dashed line) corresponds to the discrimination performance when the two spike counts are distributed according to gamma distributions of order 2 (see fig. 7B).

Figure 11. A: Three ROC curves corresponding to the discrimination between two Gaussian distributions as the ratio of the two associated variances, $r = \sigma_0/\sigma_1$ and d' changes. d' is defined as the distance between the centers of the two Gaussians, normalized by σ_1 . The parameters are: $r = 0.8$, $d' = 1.2$ for a, $r = 1$, $d' = 1$ for b and $r = 1.2$, $d' = 0.8$ for c. **B:** On “normal” probability paper, corresponding to the change of coordinate of eq. 26, these curves are straight lines of slope r and intercept d' respectively (dashed line: chance level).

Figure 12. The traces labeled $x_0(t), \dots, x_9(t)$ represent different spike trains of a Poisson neuron belonging to the same statistical ensemble which satisfies the assumptions of stationarity and ergodicity. They should be thought of as representing recordings from different nerve cells (assumed to be identical in their properties and response characteristics) or the response of a single cell to different realizations of a random stimulus. At the bottom, the mean firing rate m over 500 ms bins (m_0-m_9) is shown. It was obtained by averaging the firing rate of each of the 10 samples, as illustrated by the two dashed lines for the bin corresponding to m_1 . The assumption of stationarity implies that m should be independent of the particular bin chosen: $m = m_0 = \dots = m_9$ (*i.e.*, a flat PSTH). Furthermore, m should be independent of the bin size (in the limit where the averaging is done over all spike trains of the ensemble). The assumption of ergodicity implies that the firing rate f_0, \dots, f_9 for each one of the single traces $x_0(t), \dots, x_9(t)$ should be identical to m (again in the limit where the recording time T is very long). Stationarity and ergodicity have analogous implications for higher order statistical functions, such as the autocorrelation (see the main text).

Figure 13. A: Autocorrelation function R_{xx}^+ (bottom panel) of a renewal gamma process of order 2. The mean firing rate of the model is 80 Hz. The negative correlation for short values of τ is due to the relative refractoriness of the model following a spike. The corresponding firing probability density function m_x (see eq. 32) is plotted on top. Its value is zero immediately after a spike, recovering exponentially towards steady-state (80 Hz) with a time constant of 3.125 ms. **B:** Autocorrelation function of a renewal gamma

process of order 10 ($m = 80$ Hz, bottom panel). The positive peaks in the autocorrelation at ± 12.5 ms reflect the regularity of the ISI distribution (top panel) and coincides with the peak in the ISI distribution. In both **A** and **B** the δ -function of R_{xx} at the origin has been subtracted, see eq. 31.

Figure 14. A: Power spectrum of a renewal gamma process of order 2 (*i.e.*, Fourier transform of the autocorrelation function of fig. 13A). The negative correlation at short values of τ translates in a dip in the power spectral density at low frequencies. **B:** For a renewal gamma process of order 10, the positive correlations at multiples of the mean ISI (see fig. 13B) translate into a peak in power at the mean firing frequency (80 Hz).

Figure 15. 10 spike trains of two different random threshold models in response to a single stimulus $s_0(t)$ (the "frozen noise" $s_0(t)$ is shown on top of both panels A and B). **A:** An exponentially distributed threshold (corresponding to Poisson spike trains under constant inputs, fig. 3A) leads to very irregular and varying spike trains from one presentation to the next. **B:** A threshold of gamma order 10 (fig. 3D) leads to much more regular and reproducible spike trains from one trial to the next. In spite of very different characteristics, both models encode the stimulus $s_0(t)$ in their instantaneous firing rate (see footnote 6), as may be seen by comparing the instantaneous firing rate (averaged over 50 ms) on the bottom of each panel to $s_0(t)$. The question of how reliably a single spike train from each one of these models encodes $s_0(t)$ will be addressed in sect. 7.3 (see fig. 19).

Figure 16. Graphical illustration of eq. 41 for natural visual stimuli and their processing by relay cells in the cat lateral geniculate nucleus (LGN) in normalized units. **A:** The power spectral density of natural visual scenes has a temporal power spectrum which decays quadratically in frequency. **B:** The transfer function of LGN relay cells is band-pass in the temporal domain. **C:** Multiplication of **A** and **B** yields an output spike train spectrum (the constant value m has been subtracted) which is flat in temporal frequency, thus effectively decorrelating the visual input signal. It has been argued by Dong and Atick (1995) that one function of the LGN is to decorrelate the visual input signal, giving rise to a more effective and less redundant representation of visual stimuli in cortex proper.

Figure 17. Computation of a linear transfer function using the Wiener

kernel method. The solid line represents the transfer function of the model shown in the central panel of fig. 22. The dotted line represents the estimate obtained from eq. 45, by cross-correlating the stimulus (shown in the right lower panel of fig. 22 with the output spike train of the neuron (lower left panel of fig. 22. The left axis has dimension of (spk/s)/(unit stimulus) and has been normalized.

Figure 18. Stimulus estimation for a Poisson neuron firing at a mean rate of 50 Hz. **A:** The instantaneous firing frequency of the neuron model is proportional to the stimulus (i.e., in this example there is no filtering by the neuron model, $K(t) = \delta(t)$). In turn, the stimulus is estimated from the spike train (shown at the bottom) by placing the optimal linear filter computed from eq. 54 around each spike, as explained in eq. 52. To compute the mean square error, the difference between stimulus (thick line) and estimate (thin line) at each time point (illustrated by the double arrow) is computed and squared; the average is then taken over all time points of the observation (see eq. 55). In the case shown here, the fraction of the stimulus encoded is only $\gamma = 0.14$. **B:** Signal-to-noise ratio for the estimation, indicating the performance of the neuron as a function of frequency (eq. 57). The dashed line ($SNR = 1$) indicates chance level. By comparing with the frequency content of the stimulus (inset), one sees that all frequencies are equally well encoded.

Figure 19. Fraction γ of the white stimulus (10 Hz cut-off frequency) shown in fig. 18 and 20 which can be recovered from single spike trains of various neuron models (mean firing rate: 50 Hz). The bottom axis shows the order of the threshold gamma distribution implementing encoding noise. These models are identical to those of fig. 3 (except that the refractory period has been set to zero). While a Poisson neuron ($n = 1$) encodes relatively poorly the stimulus ($\gamma = 14\%$), a single perfect integrate-and-fire neuron is quite accurate ($\gamma = 88\%$).


Figure 20. The stimulus $s(t)$ shown in the middle (thick line) can be estimated from the spike train of a Poisson neuron $x(t)$ (bottom trace, as in fig. 18) or from the noisy continuous observation shown on top, $r(t)$. While these two estimation problems appear very different, they are in fact completely identical because the autocorrelations and cross-correlations of both observations with the stimulus are the same. It is clear from the top trace

that this estimation problem is a difficult one. The fraction of the signal recovered from the noisy observation or from the spike train by linear estimation is 14% (see fig. 18).


Figure 21. Effects of a sigmoid non-linearity on stimulus encoding in Poisson spike trains. **A:** The probability distribution of the Gaussian input is illustrated in units of firing rate changes around the mean rate of the model neuron (50 Hz). In the limit of unit sigmoid gain (the dotted line) no modification occurs between input and output rate changes; this limit is a good approximation for the weak sigmoid non-linearity (thin line). The thick line illustrates a case where the effect of the non-linearity is stronger. **B:** Magnitude coherence between the instantaneous firing rate and the stimulus ($|C_{sfs}|$) and between the spike train and the stimulus ($|C_{sx}|$). For $|C_{sfs}| = 1$ the relation between the stimulus and instantaneous firing rate is a linear one. In both graphs, the thin and thick lines correspond to the thin and thick sigmoids of A, respectively. Note that $|C_{sfs}|$, which measures linearity in stimulus encoding, is closer to 1 for the thin case as compared to the thick case. In contrast the magnitude coherence $|C_{sx}|$ between stimulus and spike train shows the reversed behavior, indicating a more accurate encoding of the stimulus for the stronger non-linearity.


Figure 22. Illustration of various windows which constitute the software package for analysis of spike trains using signal processing methods. The top window can be called directly from the main MATLAB workspace window and contains several icons which can be accessed by double-clicking on them. The icons entitled “Input signals”, “Neuron models”, “Functions”, “Connections” and “Output devices” contain building blocks which allow to constitute models such as the one shown in the middle window. This window is one of the tutorials which can be accessed by double-clicking on the “Tutorials” icon, while the “Functions and Scripts” icon contain on-line help on the analysis procedures. Spike trains and stimulus vectors, such as the ones shown in the bottom two windows, can be stored directly in MATLAB variables and analyzed using the functions described by the “Functions and Scripts” icon.

A Perfect Integrate-and-Fire Unit




B Leaky Integrate-and-Fire Unit







Gabbiani and Koch, Fig.2







Gabbiani and Koch, Fig. 3





Gabbiani and Koch, Fig. 4










A**B**











A**B**


A**B**





Gabbiani and Koch, Fig. 12



A**B**


A**B**














A**B**





A**B**



Gabbiani and Koch, Fig. 22